

Safety data sheet

Page: 1/11

BASF Safety data sheet
Date / Revised: 04.07.2016
Product: **BASAGRAN SL**

Version: 4.0

(30274550/SDS_CPA_PH/EN)

Date of print 05.07.2016

1. Substance/preparation and manufacturer/supplier identification

BASAGRAN SL

Use: crop protection product, herbicide

Manufacturer/supplier:

BASF Philippines, Inc.
11/F HHIC Building, 1128 University Parkway,
North Bonifacio, Global City, Taguig, Metro Manila, PHILIPPINES
Telephone: +63 2 811-8000
Telefax number: +63 2 838-1025

Emergency information:

National emergency number:
+63 2 831 5576
International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:

Acute toxicity: Cat. 4 (oral)

Serious eye damage/eye irritation: Cat. 2B

Skin sensitization: Cat. 1B

Hazardous to the aquatic environment - acute: Cat. 3

Label elements and precautionary statement:

Pictogram:



BASF Safety data sheet
Date / Revised: 04.07.2016
Product: **BASAGRAN SL**

Version: 4.0

(30274550/SDS_CPA_PH/EN)

Date of print 05.07.2016

Signal Word:
Warning

Hazard Statement:
Causes eye irritation. Harmful if swallowed. May cause an allergic skin reaction. Harmful to aquatic life.

Precautionary Statements (Prevention):

Wear protective gloves. Avoid breathing mist. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Wash with plenty of soap and water. If skin irritation or rash occurs: Call a POISON CENTER or doctor/physician. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Take off contaminated clothing and wash it before reuse. If eye irritation persists: Call a POISON CENTER or doctor/physician.

Precautionary Statements (Disposal):

Dispose of contents/container to hazardous or special waste collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

crop protection product, herbicide, Soluble concentrate (SL)

Hazardous ingredients

1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt

Content (W/W): 44 %

CAS Number: 50723-80-3

Acute Tox.: Cat. 5 (oral)

Eye Dam./Irrit.: Cat. 2B

Skin Sens.: Cat. 1B

Aquatic Acute: Cat. 3

Aquatic Chronic: Cat. 3

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

BASF Safety data sheet
Date / Revised: 04.07.2016
Product: **BASAGRAN SL**

Version: 4.0

(30274550/SDS_CPA_PH/EN)

Date of print 05.07.2016

On skin contact:
Wash thoroughly with soap and water.

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:
Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, foam, dry powder, carbon dioxide

Specific hazards:
carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides
The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental Release Measures

Personal precautions:
Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:
Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 60 Months

8. Exposure controls and personal protection

Components with occupational exposure limits

No occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid	
Colour:	yellow to red	
Odour:	fruity, faint odour	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
pH value:	approx. 6 - 7 (CIPAC standard water D, 1 %(m), 20 °C)	
Melting point:	approx. 0 °C (1,013.3 hPa) Information applies to the solvent.	
Boiling point:	approx. 100 °C (1,013.3 hPa) Information applies to the solvent.	
Flash point:	(DIN EN 22719; ISO 2719) No flash point - Measurement made up to the boiling point.	
Evaporation rate:	not applicable	
Flammability (solid/gas):	not self-igniting	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	555 °C	(Directive 92/69/EEC, A.15)

BASF Safety data sheet
Date / Revised: 04.07.2016
Product: **BASAGRAN SL**

Version: 4.0

(30274550/SDS_CPA_PH/EN)

Date of print 05.07.2016

Thermal decomposition: 160 °C , 350 kJ/kg (onset temperature) (DSC (OECD 113))

160 °C , 190 kJ/kg (DSC (OECD 113))

Explosion hazard: Not a substance liable to self-decomposition according to UN transport regulations, class 4.1. Based on the chemical structure there is no indicating of explosive properties.

Fire promoting properties: Based on its structural properties the product is not classified as oxidizing.

Vapour pressure: The product has not been tested.

Density: approx. 1.19 g/cm³ (20 °C) (OECD Guideline 109)

Relative vapour density (air): not applicable

Solubility in water: fully soluble
Information on: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide
Partitioning coefficient n-octanol/water (log Pow): -0.46
(22 °C; pH value: 7)
-0.08
(22 °C)
0.77
(22 °C; pH value: 5)
-0.55
(22 °C; pH value: 9)

Viscosity, dynamic: approx. 9 mPa.s (20 °C, 100 1/s) (OECD 114)
5.3 mPa.s (40 °C, 100 1/s)

Other Information:
If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:
See MSDS section 7 - Handling and storage.

Thermal decomposition: 160 °C, 350 kJ/kg (DSC (OECD 113))
(onset temperature)

Thermal decomposition: 160 °C, 190 kJ/kg (DSC (OECD 113))

BASF Safety data sheet
Date / Revised: 04.07.2016
Product: **BASAGRAN SL**

Version: 4.0

(30274550/SDS_CPA_PH/EN)

Date of print 05.07.2016

Thermal decomposition: Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Substances to avoid:
strong bases, strong acids, strong oxidizing agents

Hazardous reactions:
No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:
Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:
LD50 rat (oral): > 1,000 - < 2,000 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 4.8 mg/l 4 h (OECD Guideline 403)
An aerosol was tested.

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402)

Irritation

Assessment of irritating effects:
May cause slight irritation to the eyes. Not irritating to the skin.

Experimental/calculated data:
Skin corrosion/irritation rabbit:

Serious eye damage/irritation rabbit:

Respiratory/Skin sensitization

Assessment of sensitization:
The product has not been tested. The statement has been derived from the properties of the individual components. Sensitization after skin contact possible.

Information on: bentazone (ISO); 3-isopropyl-2,1,3-benzothiadiazine-4-one-2,2-dioxide
Experimental/calculated data:
Guinea pig maximization test guinea pig: skin sensitizing (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

(30274550/SDS_CPA_PH/EN)

Date of print 05.07.2016

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure):

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organotoxicity was observed after repeated administration to animals.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:
Harmful to aquatic life with long lasting effects.

Toxicity to fish:
LC50 (96 h) > 100 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203)

Aquatic invertebrates:
LC50 (48 h) > 100 mg/l, *Daphnia magna* (OECD Guideline 202, part 1)

Aquatic plants:
No observed effect concentration (7 d) < 3.5 mg/l, *Lemna gibba* (OECD guideline 221)

EC50 (7 d) 19.2 mg/l, *Lemna gibba*

Chronic toxicity to fish:
No observed effect concentration (28 d) > 100 mg/l

Chronic toxicity to aquatic invertebrates:
No observed effect concentration, > 250 mg/l

Mobility

Assessment transport between environmental compartments:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: bentazone
Assessment transport between environmental compartments:
Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: bentazone (ISO); 3-isopropyl-2,1,3-benzothiadiazine-4-one-2,2-dioxide
Assessment biodegradation and elimination (H₂O):
Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: bentazone
Assessment bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

Sea transport IMDG

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Regulations of the European union (Labelling)

EEC Directives:

Hazard symbol(s)
Xn

Harmful.

R-phrase(s)
R22
R43
R52/53

Harmful if swallowed.
May cause sensitization by skin contact.
Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

BASF Safety data sheet
Date / Revised: 04.07.2016
Product: **BASAGRAN SL**

Version: 4.0

(30274550/SDS_CPA_PH/EN)

Date of print 05.07.2016

S-phrase(s)	
S2	Keep out of the reach of children.
S13	Keep away from food, drink and animal feeding stuffs.
S20/21	When using do not eat, drink or smoke.
S24	Avoid contact with skin.
S37	Wear suitable gloves.
S46	If swallowed, seek medical advice immediately and show this container or label.

Hazard determining component(s) for labelling: 3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT

Other regulations

To avoid risks to man and the environment, comply with the instructions for use.

Registration status:

PICCS, PH released / listed

PICCS, PH released / listed

16. Other Information

Organization that prepared the MSDS: RCQM Department
Person who prepared the MSDS: Derrick Clarin
BASF Philippines, Inc. Carmrlray Industrial Park 1, Laguna, Philippines (Phone: +6328894321)
Date the MSDS was prepared: see top of the page

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.