

Safety data sheet

Page: 1/11

BASF Safety data sheet Date / Revised: 20.01.2015 Product: FASTAC 250 SC

Version: 3.0

(30356704/SDS_CPA_PH/EN) Date of print 21.01.2015

1. Substance/preparation and manufacturer/supplier identification

FASTAC 250 SC

Use: crop protection product, insecticide

Manufacturer/supplier: BASF Philippines, Inc. 11/F HHIC Building, 1128 University Parkway, North Bonifacio, Global City, Taguig, Metro Manila, PHILIPPINES Telephone: +63 2 811-8000 Telefax number: +63 2 838-1025

Emergency information: National emergency number: +63 2 831 5576 International emergency number: Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture: Acute toxicity: Cat. 5 (oral) Specific target organ toxicity — single exposure: Cat. 3 (irritating to respiratory system) Specific target organ toxicity — repeated exposure: Cat. 2 Hazardous to the aquatic environment - acute: Cat. 1 Hazardous to the aquatic environment - chronic: Cat. 1

Label elements and precautionary statement:

Pictogram:

Page: 2/11

BASF Safety data sheet Date / Revised: 20.01.2015 Product: **FASTAC 250 SC**

Version: 3.0

(30356704/SDS_CPA_PH/EN) Date of print 21.01.2015



Signal Word: Warning

Hazard Statement:

May be harmful if swallowed. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements (Prevention): Use only outdoors or in a well-ventilated area. Do not breathe vapours.

Precautionary Statements (Response):

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Collect spillage. Get medical advice/attention if you feel unwell. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Precautionary Statements (Storage): Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Precautionary Statements (Disposal): Dispose of contents/container to hazardous or special waste collection point.

Other hazards which do not result in classification: See section 12 - Results of PBT and vPvB assessment. If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

crop protection product, insecticide, suspension concentrate (SC)

Hazardous ingredients

Alpha-Cypermethrin Content (W/W): 23.1 % CAS Number: 67375-30-8

Acute Tox.: Cat. 4 (Inhalation - dust) Acute Tox.: Cat. 3 (oral) Skin Corr./Irrit.: Cat. 3 STOT SE: Cat. 3 (irr. to respiratory syst.) STOT RE: Cat. 2 Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 1

propane-1,2-diol

Page: 3/11

BASF Safety data sheet Date / Revised: 20.01.2015 Product: FASTAC 250 SC

Version: 3.0

(30356704/SDS_CPA_PH/EN)

Date of print 21.01.2015

Content (W/W): < 20 % CAS Number: 57-55-6

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact: Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known. Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media: water spray, foam, dry powder, carbon dioxide

Specific hazards: carbon monoxide, hydrogen chloride, hydrogen cyanide, carbon dioxide, nitrogen oxides, organochloric compounds The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Page: 4/11

BASF Safety data sheet Date / Revised: 20.01.2015 Product: **FASTAC 250 SC**

Version: 3.0

(30356704/SDS_CPA_PH/EN)

Date of print 21.01.2015

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions: Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

<u>Handling</u>

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

Segregate from foods and animal feeds. Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability: Storage duration: 24 Months

8. Exposure controls and personal protection

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Page: 5/11

BASF Safety data sheet Date / Revised: 20.01.2015 Product: FASTAC 250 SC

Version: 3.0

(30356704/SDS_CPA_PH/EN)

Date of print 21.01.2015

Eye protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: Colour: Odour: Odour threshold:	suspension white characteristic Not determined due to potential health	n hazard by inhalation.
pH value:	approx. 9 - 11 (20 °C) (measured with the undiluted substance)	
Melting temperature: Boiling range:	approx. 0 °C Information applies to the solvent. approx. 85 - 100 °C	
Flash point:		(DIN EN 22719; ISO 2719)
Evaporation rate:	Non-flammable. not applicable	
Flammability (solid/gas):	not applicable	
Lower explosion limit: Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
ignition temperature.	not determined	

Page: 6/11

BASF Safety data sheet Date / Revised: 20.01.2015 Product: FASTAC 250 SC

Version: 3.0

(30356704/SDS_CPA_PH/EN) Date of print 21.01.2015

Thermal decomposition: Explosion hazard:	No decomposition if stored and handled as prescribed/indicated. Based on the chemical structure there is no indicating of explosive
Fire promoting properties	properties.
Vapour pressure:	approx. 23.4 hPa (20 °C) Information applies to the solvent.
Density:	approx. 1.08 g/cm3 (20 °C)
Relative vapour density (
Solubility in water: Partitioning coefficient n-	
Viscosity, dynamic:	338 - 582 mPa.s (25 °C, 10 1/s) not determined

Other Information: If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid: See MSDS section 7 - Handling and storage.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

Substances to avoid: strong bases, strong acids, strong oxidizing agents

Corrosion to metals: mild steel tin

Hazardous reactions: No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Page: 7/11

BASF Safety data sheet Date / Revised: 20.01.2015 Product: **FASTAC 250 SC**

Version: 3.0

(30356704/SDS_CPA_PH/EN)

Date of print 21.01.2015

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity: Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data: LD50 rat (oral): 2,132 mg/kg (OECD Guideline 401)

(by inhalation): The product has not been tested. The statement has been derived from the properties of the individual components.

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

Information on: Alpha-Cypermethrin Experimental/calculated data: LC50 rat (by inhalation): 2.29 mg/l 4 h (OECD Guideline 403) Tested as dust aerosol.

Irritation

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data: Skin corrosion/irritation rabbit:

Serious eye damage/irritation rabbit:

Respiratory/Skin sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

Experimental/calculated data: Guinea pig maximization test guinea pig:

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Page: 8/11

BASF Safety data sheet Date / Revised: 20.01.2015 Product: FASTAC 250 SC

Version: 3.0

(30356704/SDS_CPA_PH/EN)

Date of print 21.01.2015

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

The product contains: Alpha-Cypermethrin May cause paraesthesia.

Specific target organ toxicity (single exposure):

Assessment of STOT single: Causes temporary irritation of the respiratory tract.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Alpha-Cypermethrin Assessment of repeated dose toxicity: Repeated oral exposure may affect certain organs. Damages the peripheral nerve system.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Information on: Alpha-Cypermethrin Toxicity to fish: LC50 (96 h) 0.00093 mg/l, Pimephales promelas (OPP 72-1 (EPA-Guideline), Flow through.)

No observed effect concentration (34 d) 0.00003 mg/l, Pimephales promelas

Page: 9/11

BASF Safety data sheet Date / Revised: 20.01.2015 Product: FASTAC 250 SC

Version: 3.0

(30356704/SDS_CPA_PH/EN)

Date of print 21.01.2015

Information on: Alpha-Cypermethrin Aquatic invertebrates: EC50 (48 h) 0.000013 mg/l 12,6 ng/L, Chironomus riparius (OECD Guideline 202, part 1, static)

Information on: Alpha-Cypermethrin Aquatic plants: EC50 (72 h) > 1 mg/l (growth rate), Scenedesmus subspicatus (OECD Guideline 201, static)

No observed effect concentration (7 d) >= 1,39 $\mu g/L$ (growth rate), Lemna gibba (OECD guideline 221, static)

Mobility

Assessment transport between environmental compartments: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Alpha-Cypermethrin Assessment transport between environmental compartments: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Alpha-Cypermethrin

Bioaccumulation potential

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Alpha-Cypermethrin Bioaccumulation potential: Bioconcentration factor: 155 - 910 (73 d), Cyprinus carpio (OECD Guideline 305 C)

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

Page: 10/11

BASF Safety data sheet Date / Revised: 20.01.2015 Product: **FASTAC 250 SC**

Version: 3.0

(30356704/SDS_CPA_PH/EN) Date of print 21.01.2015

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport: Hazard class: Packing group: ID number: Hazard label: Proper shipping name:	9 III UN 3082 9, EHSM ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains ALPHA-CYPERMETHRIN 23%)
Sea transport IMDG	
Hazard class: Packing group: ID number: Hazard label: Marine pollutant: Proper shipping name:	9 III UN 3082 9, EHSM YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains ALPHA-CYPERMETHRIN 23%)
Air transport IATA/ICAO	
Hazard class: Packing group: ID number: Hazard label: Proper shipping name:	9 III UN 3082 9, EHSM ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains ALPHA-CYPERMETHRIN 23%)

15. Regulatory Information

Regulations of the European union (Labelling)

EEC Directives:

Hazard symbol(s) Xn Harmful. N Dangerous for the environment.

Page: 11/11

Version: 3.0

BASF Safety data sheet Date / Revised: 20.01.2015 Product: **FASTAC 250 SC**

(30356704/SDS_CPA_PH/EN)

	Date of print 21.01.2015
R-phrase(s)	
R37	Irritating to respiratory system.
R48/22	Harmful: danger of serious damage to health by prolonged exposure if swallowed.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-phrase(s)	
S2	Keep out of the reach of children.
S13	Keep away from food, drink and animal feeding stuffs.
S20/21	When using do not eat, drink or smoke.
S29/35	Do not empty into drains, this material and its container must be disposed of in a safe way.
S46	If swallowed, seek medical advice immediately and show this container or label.
S57	Use appropriate container to avoid environmental contamination.

Hazard determining component(s) for labelling: ALPHA-CYPERMETHRIN

Other regulations

For the user of this plant-protective product applies: 'To avoid risks to man and the environment, comply with the instructions for use.' (Directive 1999/45/EC, Article 10, No. 1.2)

Registration status:

PICCS, PH HSR-5136	released / listed
PICCS, PH 005-274-0675	released / listed
PICCS, PH	blocked / not listed

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the product to ensure any proprietary rights and existing laws and legislation are observed.