

PRECAUTIONS: This product is very toxic to aquatic organisms. Do not get in eyes, on skin or clothing. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing the spray mist. Do not eat, drink or smoke while working. Wear protective clothing such as long-sleeved shirts and pants when using this product. Wash with soap and water after working. Do not spray within 50 meters from wetlands or waterways.

BABALA: Ang produktong ito ay maaaring makalason kapag nalunok, nalanghap, o napunta sa balat. Huwag kumain, uminom o manigarilyo habang nagbobomba. Iwasang malanghap, malagyan ang mga mata at madikit sa balat ang kemikal. Magsuot ng damit panangga habang ginagamit nito. Hugasan ng sabon at tubig ang kamay, braso at mukha bago kumain at manigarilyo. Huwag gamitin uli ang sisidlan ng produkto. Iwasang maapektuhan ng kemikal at ang mga sisidlan ng anumang pinagkukunan ng tubig.

FIRST AID: Remove contaminated clothing.

If inhaled: Keep patient calm, remove to fresh air.

On skin contact: Wash thoroughly with soap and water.

On contact with eyes: Wash eyes for at least 15 minutes under running water with eyelids held open.

On ingestion: Rinse mouth and then drink 200-300 ml of water.

NOTE TO PHYSICIAN: Treat according to symptom (decontamination, vital functions). No known specific antidote.

IN CASE OF EMERGENCY, PLEASE CONTACT:

BASF Emergency Contact Details

National Emergency No.:
+632 8831 5576
International Emergency No.:
+49 180 2273-112


National Poison Management and Control Center

PGH, Manila
Tel: (02) 8554 8400 loc. 3976,
(02) 8524 1078
Globe: +63 966 718 9904

Lot / Batch No.:

Date Formulated:

Expiry Date:



KEEP OUT OF REACH OF CHILDREN



Cadre® 240 SL is a herbicide containing 240 g/L Imazapic. **Cadre® 240 SL** is a broad spectrum herbicide that provides excellent control of grasses and broadleaf weeds. It is an acetolactate synthase inhibitor acting on new growth of treated weeds. It is applied as pre-emergence and early post-emergence spray treatment.

Direction for use: **Cadre® 240 SL** should be applied to soil with new plant or ratoon cane, before the leaf unfolds.

CROP	WEEDS	RATE OF APPLICATION	
		mL/ha	TBSP /16L
Sugarcane	Grasses & Broadleaves	300 - 400	24 - 32* 12-16**

*based on 200L ha spray volume

**based on 400L ha spray volume

Mixing: Fill 30% of the total water to knapsack sprayer. Add the recommended rate of **Cadre® 240 SL** (12 to 16 ml/16Lwater), then agitate. Add the rest of the water to complete the total volume.

Compatibility: **Cadre® 240 SL** is compatible with atrazine, glyphosate, paraquat, 2,4-D and other herbicide products.

Re-entry period: As soon as spray droplet dries.

Pre-harvest interval: No pre-harvest interval

Storage and Disposal: Store **Cadre® 240 SL** in original container, tightly closed, away from food and feed by storage or disposal. Triple rinse container and dispose of in accordance with national and local regulations and requirements.

PROHIBITION AND WARRANTY: It is a violation of the FPA rules and regulations to use this product in a manner inconsistent to its label. No warranty of any kind, expressed or implied, is made concerning the use of this product. User assumes all risk and liability resulting from handling use or application.

Cadre® is a Registered Trademark of BASF

BASF Philippines Inc.

11/F HHIC Bldg., 1128 University Parkway,
North Bonifacio, Global City, Taguig City,
1634, Metro Manila, Philippines

