

FIPRONIL GROUP 2B INSECTICIDE

**BASF**

We create chemistry

# Regent® 0.3GR

## Insecticide

**A Granular Insecticide for the control of Stemborers and Brown Plant hoppers in Rice; Corn weevil in Banana, Asiatic Corn Borer, Earworm and Aphids in Corn; and White Grubs in Sugarcane**

Active ingredient:

Fipronil.....3 g/kg

Alcohol.....9 g/kg

Inert ingredients.....up to 1kg

**REGISTERED WITH THE FERTILIZER AND  
PESTICIDE AUTHORITY PURSUANT TO P.D. 1144**

**FPA REGISTRATION NUMBER: 005-244-0541**

Net Content:

**1kg**

**KEEP OUT OF REACH OF CHILDREN**



**HAZARD STATEMENT:** Very toxic to aquatic life with long lasting effects. Harmful to birds.

**PRECAUTIONS:** READ THE LABEL BEFORE USE. KEEP LOCKED AWAY AND OUT OF REACH OF CHILDREN. WASH AFTER USE. DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION. Use personal protective equipment as required according to this label to avoid exposure. Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from water bodies (e.g., ponds, streams, lakes). Incorporate granules into soil with tractor applications. Do not leave granules on soil surface after application. Spilled granules should bury into the soil immediately. For rice use, keep minimum of 1 cm water in paddy field at application and keep water into the paddy field for a minimum of 25 days before releasing. Do not use in aquaculture paddy field. Do not use near aquaculture areas, rivers, ponds and other water bodies. Always wear recommended personal protective equipment including long sleeved-shirts and trousers, chemical resistant gloves, face shield and boots during mixing and loading; and long sleeved-shirts and trousers, chemical resistant gloves, and boots during application. Remove and wash thoroughly all protective equipment and working clothes before re-use. Wash and store work clothing separately. Wash exposed skin thoroughly with soap and water after handling and application. Do not apply when windy. Do not apply this product in a manner where it will come in contact with workers or other persons, either directly or through drift. In addition, do not apply this product in a manner that results in spray (or dust) drift that could cause adverse effect to people or any other non-target organism or site especially water bodies. Do not spray shortly (<24h) before heavy rainfall occurs. Make sure all nozzles are cleaned regularly and filters cleaned daily. Only use recommended nozzle type and spray volumes as stated on labels. Sprayers need to be cleaned to prevent cross-contamination of pesticides and to prevent crop injury. Check all hoses and nozzles for leaks before any spraying activities. Remove livestock before treatment, keep livestock out of treated area for 24h after the last treatment.

**PAHAYAG NG PANGANIB:** Nakalalason sa buhay sa tubig na may pangmatagalang epekto. Mapanganib sa mga ibon.

**MGA PAG-IINGAT:** BASAHIN ANG LABEL BAGO GAMITIN. PANATILIHING NAKA-LOCK AT PANATILIHING MALAYO SA MGA BATA, MAGHUGAS PAGKATAPOS GAMITIN. HUWAG KUMAIN, UMINOM, O MANIGARILYO KAPAG GINAGAMIT ANG PRODUKTONG ITO. HUWAG GAMITIN PARA SA ANUMANG LAYUNIN, O SA ANUMANG PARAAN NA SALUNGAT SA LABEL NA ITO MALIBAN KUNG PINAHINTULUTAN SA ILALIM NG ANGKOP NA LEHISLASYON. Gumamit ng personal na kagamitan sa proteksyon kung kinakailangan ayon sa label na ito upang maiwasan ang pagkaka-expose. Huwag i-contaminate ang tubig sa produkto o sa lalagyan nito. Huwag linisin ang mga kagamitan malapit sa surface water. Iwasan ang kontaminasyon sa daluyan ng tubig tulad ng mga lawa at sapa. Isama ang mga butil sa lupa gamit ang mga tractor application. Huwag mag-iwan ng mga butil sa ibabaw ng lupa pagkatapos ng aplikasyon. Ang mga natapong butil ay dapat na agad na ibabaon sa lupa. Para sa paggamit ng palay, panatilihin hindi bababa sa 1 cm ang tubig sa palayan sa paglalagay at panatilihin ang tubig sa palayan nang hindi bababa sa 25 araw bago ilabas. Huwag gamitin malapit sa mga lugar ng akuwakultura, ilog, lawa, at iba pang anyong tubig. Palaging magsuot ng inirerekumandang personal na kagamitan sa proteksiyon kabilang ang mga long sleeved-shirt at pantalon, chemical resistant gloves, face shield at bata habang naghahalo at naglo-load; at mahabang manggas na kamiseta at pantalon, chemical-resistant gloves, at bata habang nag-aapply. Alisin at hugasan nang maigi ang lahat ng kagamitang pang-proteksyon at mga damit na pantrabaho bago muling gamitin. Maglaba at mag-imbak ng damit para sa trabaho nang hiwalay. Hugasan nang maigi ang nakalantad na balat gamit ang sabon at tubig pagkatapos hawakan at ilapat. Huwag i-apply kapag mahangin. Huwag i-apply ang produktong ito na magdudulot ng pagkapit sa mga manggagawa o ibang tao, direkta man o sa pamamagitan ng drift. Bilang karagdagan, huwag ilapat ang produktong ito sa paraang magreresulta sa spray (o alikabok) drift na maaaring magdulot ng masamang epekto sa mga tao o anumang iba pang hindi target na organismo o lugar lalo na sa mga anyong tubig. Huwag mag-spray ng ilang sandali (<24h) bago mangyari ang malakas na ulan. Siguraduhin na ang lahat ng mga nozzle ay regular na nililinis at ang mga filter ay nililinis araw-araw. Gumamit lamang ng inirerekumandang uri ng nozzle at dami ng spray gaya ng nakasaad sa mga label. Ang mga sprayer ay kailangang linisin upang maiwasan ang cross-contamination ng mga pestisidyo at upang maiwasan ang pinsala sa pananim. Suriin ang lahat ng mga hose at nozzle para sa mga tagas bago ang anumang mga aktibidad sa pag-spray. Alisin ang mga hayop bago ang treatment, panatilihin ang mga hayop sa labas ng treatment area sa loob ng 24 na oras pagkatapos ng huling treatment.





  
**FIRST AID TREATMENT:**

Remove contaminated clothing.

**If inhaled:** Keep patient calm, remove to fresh air.

**On skin contact:** Wash thoroughly with soap and water.

**On contact with eyes:** Wash affected eyes for at least 15 minutes under running water with eyelids held open.

**On ingestion:** Rinse mouth and then drink plenty of water.

**NOTE TO PHYSICIAN:**

**Symptoms:** No significant reaction of the human body to the product known.

**Treatment:** Symptomatic treatment (decontamination, vital functions).

**Regent®** is a registered trademark of BASF

**Registered by:****BASF Philippines, Inc.**

Units 3 & 4, Upper Penthouse, CTP ASEAN Tower, Blk 3 Lot 2, Spectrum District Filinvest Corporate City, Alabang, Muntinlupa City, 1781 Metro Manila Philippines

Batch /Lot No.: See packaging/label

Formulation Date: See packaging/label

Expiry Date: See packaging/label

**IN CASE OF EMERGENCY,  
PLEASE CONTACT:****BASF Emergency Contact Details:**

National Emergency No.:

+632 8831 5576

International Emergency No.:

+49 180 2273-112

**National Poison Management and Control  
Center**

PGH, Manila

Tel: (02) 8554 8400 loc. 3976

Globe: +63 966 718 9904

Sun: +63 922 896 1541





# Regent<sup>®</sup> 0.3GR

Insecticide

