

HAZARD STATEMENTS: Harmful if inhaled. Toxic if swallowed. Very toxic to birds and aquatic life with long lasting effects.

PRECAUTIONS: Read the label before use and follow all instructions. Keep locked away. Wash after use. Do not eat, drink or smoke when using this product. Use personal protective equipment as required according to this label to avoid exposure. If medical advice is needed, have product container or label at hand. Not to be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation. Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Keep container tightly closed. Use only outdoors or in a well-ventilated area. Wash with soap and water thoroughly after handling and application. Always wear recommended personal protective equipment including long sleeved-shirts and trousers, chemical resistant gloves, face shield, face mask and boots during mixing, loading and spraying. Wear a wide-brimmed hat when spraying high crops. Remove and wash thoroughly all protective equipment and working clothes before re-use. Wash and store work clothing separately. Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from water bodies (e.g., ponds, streams, lakes) Do not apply this product on crops that are attractive forage or breeding areas for birds.

BABALA: Iwasang malagyan ang mata, balat, o mga damit. Mapanganib kapag nalunok at nalanghap. Maaaring maging sanhi ng mga pinsala sa katawan sa matagalang paggamit. Huwag kumain, uminom o manigarilyo habang ginagamit ang produkto. Iwasang malanghap ang singaw ng kemikal. Magasuot ng kagamitan tulad ng mga guwantes, proteksyon sa mata, mga kamiseta at pantalon na may mahabang manggas kapag naghahalo at nag-spray. Ihiwalay ang mga ginamit na damit at hugasan ang mga gamit at damit pantrabaho bago muling gamitin. Hugasan ng mabuti ang mga kamay ng sabon at tubig pagkatapos gamitin ang produkto. Gamitin lamang sa labas o sa isang maaliwalas na lugar. Nakakasama sa mga isda. Huwag direktang ilagay sa tubig na may kemikal o mga basyo. Ilayo ang mga hayop lalo na ang mga ibon sa lugar na ginagamitan ng produkto.

FIRST AID

INGESTION: If patient is conscious, rinse mouth and drink 200-300ml of water, do not induce vomiting, seek medical attention. If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting unless told to by a poison control center or doctor. Take patient to hospital immediately. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product. Medical monitoring for at least 7 days.

INHALATION: Keep patient calm, remove to fresh air, seek medical attention. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

SKIN CONTACT: Immediately wash thoroughly with soap and water, seek medical attention. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

ON CONTACT WITH EYES: Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

NOTE TO PHYSICIAN: Immediate symptoms after oral ingestion may comprise nausea, vomiting, sweating and abdominal pain. Subsequent symptoms emerging with a delay of a few days up to 10-14 days may include drowsiness, tachypnea, tachycardia or arrhythmia, hypertension, fever, diaphoresis, muscle fasciculation, muscle stiffness, weakness of limbs (sometimes leading to paralysis), hepatic and renal dysfunction, pancreatitis, and sudden disturbance of consciousness followed by coma and cardiac arrest.

CHLORFENAPYR GROUP 13 INSECTICIDE

BASF
We create chemistry

Kotetsu® 10 SC

Insecticide

For the effective control of Diamondback Moth, Aphids, Cabbage Moth, Thrips, and Flower Thrips (Banana)

Composition:
Chlorfenapyr..... 100 g/L
Inert Ingredient..... 131.25 g/L
Water (as solvent)..... up to 1 L

REGISTERED WITH THE FERTILIZER AND PESTICIDE AUTHORITY PURSUANT TO P.D. 1144
FPA REGISTRATION NUMBER: 005-283-3763

Net Content:
250 mL

KEEP OUT OF REACH OF CHILDREN

HARMFUL

Kotetsu® is a unique pro-insecticide which contains 100 g/L Chlorfenapyr. It has a novel mode of action that interferes with respiration by uncoupling oxidative phosphorylation. It is also very effective against insects and mites that are resistant to organophosphates, carbamates, pyrethroids and chitin-synthesis inhibitors.

Crop / Pests	Thsp / 16 L	Maximum Spray Application	Spray Volume	Application
CABBAGE • Diamondback moth • Aphids • Cabbage moth	1.5 - 3.0	6	200 - 400 L/Ha	Start spraying during early stage of infestation. Repeat at minimum 7 days interval when needed.
POTATO • Thrips	0.5 - 1.5	4	200 - 400 L/Ha	Start spraying during early stage of infestation. Repeat at minimum 7-14 days interval when needed.
Banana • Flower thrips	2-3 mL / 1 L water	N/A	N/A	Flower bud injection. Inject 60-80 mL solution once per bud when at least 3/4 inflorescence has emerged.

Re-entry period: Until the spray deposit has dried up.

Pre-Harvest Interval: Do not spray 14 days before harvest.

Compatibility: Kotetsu® 10 SC can be mixed with the most commonly used insecticides and fungicides. Remove livestock before treatment, keep livestock out of treated area for 24h after the last treatment.

Directions for storage and disposal: Store in original container tightly closed and away from foods and feeds. DO NOT re-use this container for any purpose. Triple rinse container, then puncture and dispose of in accordance with national and local regulations and requirements. Properly store in confined / locked places outside of family homes only. Keep in a cool and dry place. Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Keep away from food, drink and animal feeding stuffs. Keep away from heat. Protect from direct sunlight.

Warranty and prohibition: It is a violation of FPA rules and regulations to use this product in manner inconsistent with its label. No warranty of any kind, expressed or implied is made concerning the use of this product. Users assume all risks and liability resulting from handling, use or application.

Kotetsu® is a Registered Trademark of BASF

BASF Philippines, Inc.
Units 3 & 4, Upper Penthouse,
CTP ASEAN Tower Bldg 3 Lot 2,
Spectrum District, Filinvest Corporate City
Alabang, Muntinlupa City, 1781 Metro Manila, Philippines

Lot / Batch No.:
Formulation Date :
Expiry Date:

IN CASE OF EMERGENCY, PLEASE CONTACT:	
BASF Emergency Contact Details: National Emergency No.: +632 8831 5576 International Emergency No.: +49 180 2273-112	National Poison Management and Control Center PGH, Manila Tel: (02) 8524 1078 Globe: +63 966 718 9904

