

**HAZARD STATEMENTS:** This product causes mild skin irritation. Toxic if inhaled. Very toxic to aquatic life with long lasting effects.

**PRECAUTIONS:** READ THE LABEL BEFORE USE. KEEP LOCKED AWAY AND OUT OF REACH OF CHILDREN. WASH AFTER USE. DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION. Use personal protective equipment as required according to this label to avoid exposure. Always wear recommended personal protective equipment including long sleeved-shirts and trousers, chemical resistant gloves, face shield, mask, and boots during mixing and loading; and long sleeved-shirts and trousers, chemical resistant gloves, mask, and boots during spraying. Remove and wash thoroughly all protective equipment and working clothes before re-use. Wash and store work clothing separately. Avoid contact with skin and clothing. Wash exposed skin with soap and water thoroughly after handling and application. Maintain sprayer regularly to ensure it is in good working condition. Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from water bodies (e.g., ponds, streams, lakes). Avoid breathing dust/fume/gas/mist/vapors/spray. Keep container tightly closed. Use only outdoors or in a well-ventilated area. Apply this product in the late afternoon or evening while bees are not actively foraging.

**BABALA:** Ang produktong ito ay nagdudulot ng banayad na pangangati sa balat. Nakakalason kung malanghap. Nakakalason sa buhay sa tubig na may pangmatagalang epekto. **MGA PAG-INGAT:** BASAHIN ANG LABEL BAGO GAMITIN. PANATILHING NAKA-LOCK AT PANATILHING MALAYO SA MGA BATA, MAGHUGAS PAGKATAPOS GAMITIN. HUWAG KUMAIN, UMIINOM, O MANGHARAP SA PRODUKTO NG ITONG KAGAMITAN SA PRODUKTO NG ITONG KAGAMITAN PARA SA ANUMANG LAYUNIN. O SA ANUMANG PARAAN NA SALLINGAT SA LABEL NA ITO MALIBAN KUNG PINAHINTULUTAN SA ILALIM NG ANGKOP NA LEHISLASYON. Gumamit ng personal na kagamitan sa proteksyon kung kinakailangan ayon sa label na ito upang maiwasan ang pagkakaalantad. Palaging magsuot ng inirerekumendang personal na kagamitan sa proteksyon kabilang ang mga long sleeved-shirt at pantalon, chemical resistant gloves, face shield, mask at bota habang naghahalo at naglo-load; at mababang manggas na kamiseta at pantalon, giwantes at bota na lumalaban sa kemikal habang nagsa-spray. Alisin at hugasan ng maliang ang lahat ng kagamitang pang-proteksyon at mga damit na pantrabaho bago muling gamitin. Maglaba at mag-imbak ng damit para sa trabaho nang hiwalay. Iwasang madikit ang balat at damit. Iwasan ang nakalantad na balat gamit ang sabon at tubig nang maigi pagkatapos hawakan at lapat. Panatilihin ang sprayer nang regular upang matiyak na ito ay nasa maayos na kondisyon sa pagtatrabaho. Huwag i-contaminate ang tubig sa produktong ito. Huwag linalinis ang mga kagamitan sa paglalagay malapit sa tubig sa ibabaw. Iwasan ang kontaminasyon sa pamamagitan ng mga kanal mula sa mga anyong tubig (hal., mga lawa, sapa, lupal, Iwasan magkain ng alak/alkohol/gas/mist/vapor/spray. Panatilihin sarado nang magingit ang lalagayan. Gumamit lamang sa labas o sa lugar na maaliwalas. I-apply ang produktong ito sa hapon o gabi habang ang mga bubuyog ay hindi aktibong naghahanap ng pagkain.

**SIGNS AND SYMPTOMS OF POISONING:** There are no known symptoms and/or effects based on Safety Data Sheet.

**FIRST AID:** First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

**If inhaled:** Keep patient calm, remove to fresh air, seek medical attention.

**On skin contact:** Immediately wash thoroughly with soap and water, seek medical attention.

**On contact with eyes:** Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

**On ingestion:** Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

**NOTE TO PHYSICIAN:**

**Treatment:** Treat according to symptoms (decontamination, vital functions), no known specific antidote.

**IN CASE OF EMERGENCY, PLEASE CONTACT:**

**BASF Emergency Contact Details:**

National Emergency No.:

+632 8831 5576

International Emergency No.:

+49 180 2273-112

**National Poison Management and Control Center**

Center

PGH, Manila

Tel: (02) 8554 8400 loc. 3976,

(02) 8524 1078

Globe: +63 966 718 9904

Lot/Batch No.: See packaging/label

Formulation Date: See packaging/label

Expiry Date: See packaging/label

AFIDOPYROPEN GROUP 9D INSECTICIDE



We create chemistry

**Sefina® 50 DC**

Powered by Inscalis® Active

Novel insecticide for the management of Whiteflies and Leafhoppers in Eggplant

Active Ingredients:

Afidopyropen..... 50 g/L

Inert Ingredients and Alcohols (as solvent)..... up to 1L

REGISTERED WITH THE FERTILIZER AND PESTICIDE AUTHORITY PURSUANT TO P.D. 1144

FPA REGISTRATION NUMBER: 005-627-6277

Net Content:  
**500ml**



**KEEP OUT OF REACH OF CHILDREN**

**Sefina® 50 DC** is an insecticide formulated in a dispersible concentrate containing 50 g a.i./L Afidopyropen. It provides effective control of devastating piercing and sucking insect pests including whiteflies and leafhoppers.

**Direction for use:** Spray at the rate of 0.75-1.0 L/ha using a 500-650 L/ha spray volume, depending on the age of the crop. Spray at 5-14 days interval depending on insect population. Remove livestock before treatment, keep livestock out of treated area for 24h after the last treatment.

CROP	TARGET PEST	RATE of APPLICATION	
		L/ha	Tbsp/16L*
Eggplant	Whiteflies, Leafhoppers	0.75 - 1.0	2 ½ - 3

1 Tbsp = 10ml

\*Spray volume = 500-650 L/ha

**Mixing:** Fill 30% of the total water to knapsack sprayer. Add the recommended rate of **Sefina® 50 DC** then agitate. Add the rest of the water to complete the total volume then agitate to attain uniform mixture.

**Maximum number of application:** 3 per season but not more than 2 consecutive applications  
**Timing of application:** From seedling stage to fruiting stage of eggplant (BBCH 13-81) at economic threshold level of insect pest

**Spray Interval:** 5- 14 days

**Compatibility:** No known incompatibility with other pesticides.

**Re-entry period:** 1 day

**Pre-Harvest Interval (PHI):** 1 day

**Storage and Disposal:** Store in the closed, original container in a cool, well-ventilated area away from food, drink and animal feeding stuffs. Do not store for prolonged periods in direct sunlight. Keep out of reach of children. Do not re-use this container for any purpose. Triple-rinse empty container and spray out over treated field prior to disposal or recycling. Do not discharge into the subsoil/soil and drains/surface waters/groundwater. Dispose of in accordance with national and local regulations and requirements.

**PROHIBITION AND WARRANTY:** It is a violation of the FPA rules and regulations to use this product in a manner inconsistent with its label. No warranty of any kind, expressed or implied, is made concerning the use of this product. User assumes all risk and liability resulting from handling use or application.

**Sefina®** is a Registered Trademark of BASF

Registered and imported by:

**BASF Philippines, Inc.**

Units 3 & 4, Upper Penthouse, CTP ASEAN Tower, Bldg 3 Lot 2

Spectrum District, Filinvest Corporate City, Alabang

Muntinlupa City, 1781, Metro Manila, Philippines

Formulated by:

**BASF Agri-Production**

S. A. S.

Z. I. Lyon Nord

Rue Jacquard - BP 73

69727 Genay, France



**CAUTION**

