HAZARD STATEMENTS: Causes eve irritation, Harmful if swallowed, May cause an allergic skin reaction,

PRECAUTIONS: READ THE LABEL BEFORE USE, KEEP LOCKED AWAY AND OUT OF REACH OF CHILDREN, WASH AFTER USE, DO NOT FAT DRINK OR SMOKE WHEN USING THIS PRODUCT, NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION. Avoid contact with eves, Wash with soap and water thoroughly after handling and application. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin and clothing. Wash exposed skin with soap and water thoroughly after handling and application. Maintain sprayer regularly to ensure it is in good working condition. Always wear recommended personal protective equipment including long sleeved-shirts and trousers, chemical resistant gloves, goggles, mask, water-proof poncho and boots during mixing, loading and spraying, Remove and wash thoroughly all protective equipment and working clothes before re-use. Wash and store work clothing separately. Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from water bodies (e.g., ponds, streams, lakes), Do not use near aquaculture areas, rivers, ponds and other water bodies. Do not mix herbicides sprayer for other pesticides. Keep a sprayer specifically for herbicides and label it "WEEDS ONLY."

MGA PAHAYAG NG PANGANIB: Nagdudulot ng pangangati ng mata. Mapanganib kung lunukin. Maaaring magdulot ng reaksiyong alerdyi sa balat. Mapanganib sa buhay sa tubig.

MGA PAG-IING AT: BASAHIN ANG LABEL BAGO GAMITIN. PANATILIHING NAKAKA-LOCK AT DI AABOT NG MGA BATA, MAGHUGAS PAGKATAPOS GAMITIN, HUWAG KUMAIN, UMINOM, O MANINIGARILYO KAPAG GINAGAMIT ANG PRODUKTO NA ITO, HINDI GAMITIN PARA SA ANUMANG LAYUNIN, O SA ANUMANG PARAAN, KASALIG SA LABEL NA ITO MALIBAN KUNG AY AWTORISA SA ILALIM NG ANGKOP NA LEHISLASYON. Pigilan ang pag hawak sa mata. Hugasan gamit ang sabon at tubig nang maigi pagkatapos hawakan at ilapat. Ang kontaminadong damit sa trabaho ay hindi dapat gamitin sa labas ng trabaho. Iwasan ang pagkakadikit sa balat at damit. Hugasan nang maigi ang nakalantad na balat gamit ang sabon at tubig pagkatapos hawakan at ilapat. Panatilihin nang regular ang sprayer upang matiyak na ito ay nasa mabuting kondisyon sa pagtatrabaho. Palaging magsuot ng inirerekumendang personal na kagamitang pang-proteksyon kabilang ang mahabang manggas na kamiseta at pantalon, guwantes para sa kemikal, goggles, mask, poncho at bota sa panahon ng paghahalo, paglo-load at pagsabog. Alisin at hugasan ng maigi ang lahat ng kagamitang pang-proteksyon at mga damit na pantrabaho bago muling gamitin. Maglaba at mag-imbak ng damit ng trabaho. Huwag dumihan ang tubig sa produkto o sa lalagyan nito. Huwag linisin ang mga kagamitan sa paglalagay malapit sa tubig sa ibabaw. Iwasan ang kontaminasyon sa pamamagitan ng mga kanal mula sa mga anyong tubig (hal., mga lawa, sapa, lawa). Huwag gumamit malapit sa mga lugar ng aquaculture, ilog, lawa at iba pang anyong tubig. Huwag paghaluin ang herbicide sprayer para sa iba pang pestisidyo. Panatilihin ang isang sprayer na partikular para sa mga herbicide at lagyan ito ng label na "PARA SA DAMO LAMANG".

SIGNS AND SYMPTOMS OF POISONING: There are no known symptoms and/or effects based on Safety Data Sheet

FIRST AID: Take off contaminated clothing and wash it before reuse

IF INHALED: Keep patient calm, remove to fresh air, seek medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

If eye irritation persists: Get medical attention. Wash with plenty of soap and water. On skin contact: Wash thoroughly with soap and water.


If skin irritation or rash occurs: Get medical attention. Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

On ingestion: Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

NOTE TO PHYSICIAN: Treat symptomatically,

Lot / Batch No.: See packaging/label Formulation Date: See packaging/label Expiry Date: See packaging/label





KEEP OUT OF REACH OF CHILDREN



















DIRECTIONS FOR USE:

	Crop	Weeds Controlled	Dose Rate	
			tbsp*/16L	L/ha
	Rice	Perennial sedges and broadleaf weeds	10-15**	1.0-1.5

^{*1} thsn = 10ml

MIXING: Half-fill the sprayer tank with water. Add the required amount of Basagran® 48 SL while stirring vigorously. Add the remaining water to fill-up the spray tank. Use 1-1.5 liters Basagran® 48 SL per hectare. COMPATIBILITY: Basagran® 48 SL is miscible with other herbicides, graminicides, fungicides, urea and

Make sure all nozzles are cleaned regularly and filters cleaned daily. ONLY USE recommended nozzle type and spray volumes as stated on labels. Sprayers need to be cleaned to prevent cross-contamination of pesticides and to prevent crop injury. Check all hoses and nozzles for leaks before any spraying activities. Do not apply when windy. Do not apply this product in a manner that will contact workers or other persons, either directly or through drift. In addition, do not apply this product in a manner that results in spray (or dust) drift that could cause adverse effect to people or any other non-target organism or site especially water bodies. Do not spray shortly (<24h) before heavy rainfall occurs.

Maximum number of applications per season: 2 application

Minimum application interval: 14 days

Timing of application: Late Post Emergence (14 days after transplanting / seeding)

PRE-HARVEST INTERVAL: 30 days before harvest.

RE-ENTRY: Immediately after spray deposit has dried up.

STORAGE AND CONTAINER DISPOSAL: Store in a closed, original container in a cool, well-ventilated area away from food, drink and animal feeding stuffs. Do not store for prolonged periods in direct sunlight. Do not re-use this container for any purpose. Triple-rinse empty container and spray out over treated field prior to disposal or recycling. Do not discharge into the subsoil/soil and drains/surface waters/groundwater. Dispose of contents and container to hazardous or special waste collection point and in accordance with national and local regulations and requirements.

PROHIBITION/ WARRANTY: It is a violation of FPA rules and regulations to use this product in a manner inconsistent with its label. No warranty of any kind, expressed or implied, is made concerning the use of this product. User assumes all risks and liabilities resulting from handling, use or application,

IN CASE OF EMERGENCY, PLEASE CONTACT:

BASF Emergency Contact Details National Emergency No.: +632 8831 5576

International Emergency No.: +49 180 2273-112

National Poison Management and Control Center

PGH. Manila Tel: (02) 8554 8400 loc. 3976. (02) 8524 1078 Globe: +63 966 718 9904

Basagran® is a Registered Trademark of BASF

Registered by:

BASF Philippines, Inc.

Units 3 & 4, Upper Penthouse, CTP ASEAN Tower, Blk 3 Lot 2. Spectrum District, Filinvest Corporate City, Alabang, Muntinlupa City, 1781, Metro Manila, Philippines



















^{**} Spray Volume: 160 L/ha

HAZARD STATEMENTS: Causes eve irritation, Harmful if swallowed, May cause an allergic skin reaction,

PRECAUTIONS: READ THE LABEL REFORE USE KEEP LOCKED AWAY AND OUT OF REACH OF CHILDREN, WASH AFTER USE, DO NOT FAT DRINK OR SMOKE WHEN USING THIS PRODUCT, NOT TO BE USED FOR ANY PURPOSE. OR IN ANY MANNER. CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION, Avoid contact with eves. Wash with soap and water thoroughly after handling and application. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin and clothing. Wash exposed skin with soap and water thoroughly after handling and application. Maintain sprayer regularly to ensure it is in good working condition. Always wear recommended personal protective equipment including long sleeved-shirts and trousers, chemical resistant gloves, goggles, mask, water-proof poncho and boots during mixing, loading and spraying. Remove and wash thoroughly all protective equipment and working clothes before re-use. Wash and store work clothing separately. Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from water bodies (e.g., ponds, streams, lakes). Do not use near aquaculture areas, rivers, ponds and other water bodies. Do not mix herbicides sprayer for other pesticides. Keep a sprayer specifically for herbicides and label it "WEEDS ONLY."

MGA PAHAYAG NG PANGANIB: Nagdudulot ng pangangati ng mata. Mapanganib kung lunukin. Maaaring magdulot ng reaksiyong alerdyi sa balat. Mapanganib sa buhay sa tubig.

MGA PAG-IINGAT: BASAHIN ANG LABEL BAGO GAMITIN. PANATILIHING NAKAKA-LOCK AT DI AABOT NG MGA BATA, MAGHUGAS PAGKATAPOS GAMITIN, HUWAG KUMAIN, UMINOM, O MANINIGABILYO KAPAG GINAGAMIT ANG PRODUKTO NA ITO. HINDI GAMITIN PARA SA ANUMANG LAYUNIN. O SA ANUMANG PARAAN, KASALIG SA LABEL NA ITO MALIBAN KUNG AY AWTORISA SA ILALIM NG ANGKOP NA LEHISLASYON. Pigilan ang pag hawak sa mata. Hugasan gamit ang sabon at tubig nang maigi pagkatapos hawakan at ilapat. Ang kontaminadong damit sa trabaho ay hindi dapat gamitin sa labas ng trabaho. Iwasan ang pagkakadikit sa balat at damit. Hugasan nang maigi ang nakalantad na balat gamit ang sabon at tubig pagkatapos hawakan at ilapat. Panatilihin nang regular ang sprayer upang matiyak na ito ay nasa mabuting kondisyon sa pagtatrabaho. Palaging magsuot ng inirerekumendang personal na kagamitang pang-proteksyon kabilang ang mahabang manggas na kamiseta at pantalon, guwantes para sa kemikal, goggles, mask, poncho at bota sa panahon ng paghahalo, paglo-load at pagsabog. Alisin at hugasan ng maigi ang lahat ng kagamitang pang-proteksyon at mga damit na pantrabaho bago muling gamitin. Maglaba at mag-imbak ng damit ng trabaho. Huwag dumihan ang tubig sa produkto o sa lalagyan nito. Huwag linisin ang mga kagamitan sa paglalagay malapit sa tubig sa ibabaw. Iwasan ang kontaminasyon sa pamamagitan ng mga kanal mula sa mga anyong tubig (hal., mga lawa, sapa, lawa). Huwag gumamit malapit sa mga lugar ng aguaculture, ilog, lawa at iba pang anyong tubig. Huwag paghaluin ang herbicide sprayer para sa iba pang pestisidyo. Panatilihin ang isang sprayer na partikular para sa mga herbicide at lagvan ito no label na "PARA SA DAMO LAMANG"

FIRST AID: Take off contaminated clothing and wash it before reuse

IF INHALED: Keep patient calm, remove to fresh air, seek medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

If eye irritation persists: Get medical attention. Wash with plenty of soap and water.

On skin contact: Wash thoroughly with soap and water.


If skin irritation or rash occurs: Get medical attention. Call a POISON CENTER or doctor/physician if you feel unwell. Binse mouth.

On ingestion: Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

NOTE TO PHYSICIAN: Treat symptomatically,

Lot / Batch No.: See packaging/label Formulation Date: See packaging/label Expiry Date: See packaging/label























DIRECTIONS FOR USE:

Crop	Weeds Controlled	Dose Rate	
		tbsp*/16L	L/ha
Rice	Perennial sedges and broadleaf weeds	10-15**	1.0-1.5

^{*1} thsn = 10ml

MIXING: Half-fill the sprayer tank with water. Add the required amount of Basagran® 48 SL while stirring vigorously. Add the remaining water to fill-up the spray tank. Use 1-1.5 liters Basagran® 48 SL per hectare. COMPATIBILITY: Basagran® 48 SL is miscible with other herbicides, graminicides, fungicides, urea and

Make sure all nozzles are cleaned regularly and filters cleaned daily. ONLY USE recommended nozzle type and spray volumes as stated on labels. Sprayers need to be cleaned to prevent cross-contamination of pesticides and to prevent crop injury. Check all hoses and nozzles for leaks before any spraying activities. Do not apply when windy. Do not apply this product in a manner that will contact workers or other persons, either directly or through drift. In addition, do not apply this product in a manner that results in spray (or dust) drift that could cause adverse effect to people or any other non-target organism or site especially water bodies. Do not spray shortly (<24h) before heavy rainfall occurs.

Maximum number of applications per season: 2 application

Minimum application interval: 14 days

Timing of application: Late Post Emergence (14 days after transplanting / seeding)

PRE-HARVEST INTERVAL: 30 days before harvest.

RE-ENTRY: Immediately after spray deposit has dried up.

STORAGE AND CONTAINER DISPOSAL: Store in a closed, original container in a cool, well-ventilated area away from food, drink and animal feeding stuffs. Do not store for prolonged periods in direct sunlight. Do not re-use this container for any purpose. Triple-rinse empty container and spray out over treated field prior to disposal or recycling. Do not discharge into the subsoil/soil and drains/surface waters/groundwater. Dispose of contents and container to hazardous or special waste collection point and in accordance with national and local regulations and requirements.

PROHIBITION/ WARRANTY: It is a violation of FPA rules and regulations to use this product in a manner inconsistent with its label. No warranty of any kind, expressed or implied, is made concerning the use of this product. User assumes all risks and liabilities resulting from handling, use or application.

IN CASE OF EMERGENCY, PLEASE CONTACT:

BASF Emergency Contact Details National Emergency No.: +632 8831 5576

International Emergency No.: +49 180 2273-112

National Poison Management and Control Center

PGH. Manila Tel: (02) 8554 8400 loc. 3976. (02) 8524 1078 Globe: +63 966 718 9904

Basagran® is a Registered Trademark of BASF

Registered by: BASF Philippines, Inc.

Units 3 & 4, Upper Penthouse, CTP ASEAN Tower, Blk 3 Lot 2. Spectrum District, Filinvest Corporate City, Alabang, Muntinlupa City, 1781, Metro Manila, Philippines



















^{**} Spray Volume: 160 L/ha