

HAZARD STATEMENT: Very toxic to aquatic life with long lasting effects.

PRECAUTIONS: READ THE LABEL BEFORE USE. KEEP LOCKED AWAY AND OUT OF REACH OF CHILDREN. WASH AFTER USE. DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION. Always wear recommended personal protective equipment including long sleeved-shirts and trousers, chemical resistant gloves, face shield/mask and boots during mixing and loading; and long sleeved-shirts and trousers, chemical resistant gloves and boots during application. Remove and wash thoroughly all protective equipment and working clothes before re-use. Wash and store work clothing separately. Female farmers or workers in childbearing age and/or pregnant women should avoid in contacting with the product. Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from water bodies (e.g., ponds, streams, lakes). Do not leave granules on soil surface after application. Granular must be incorporated into soil or water to protect birds. Spilled granules should bury into the soil immediately. Do not apply when weather condition favour drift from target area. Do not apply if rain is likely within 24 hours of application.

MGA PAHAYAG NG PANGANIB: Nakakalason sa buhay sa tubig na may pang matagalang epekto. **MGA PAG-IINGAT:** BASAHIN ANG LABEL BAGO GAMITIN. PANATILIHING NAKAKA-LOCK AT DI ABOT NG MGA BATA. MAGHUGAS PAGKATAPOS GAMITIN. HUWAG kumain, uminom o manigariyo kapag ginagamit ang produktong ito. HINDI GAMITIN PARA SA ANUMANG LAYUNIN, O SA ANUMANG PARAAN. KASALIG SA LABEL NA ITO MALIBAN KUNG AY AWTORISA SA ILALIM NG ANGKOP NA LEHISLATION. Palaging magsuot ng inirerekumendang personal na kagamitang pang-proteksyon kabilang ang mga long sleeved-shirt at pantalon, chemical resistant gloves, face shield/mask at bota habang naghahalo at naglo-load; at mahabang manggas na kamiseta at pantalon, guwantes at bota na lumalaban sa kemikal habang ginagamit. Alisin at hugasan ng maigi ang lahat ng kagamitang pang-proteksyon at mga damit na pantrabaho bago muling gamitin. Maglaba at mag-tago ng damit ng trabaho nang hiwalay. Dapat iwasan ng mga babaeng magsasaka at/o mga buntis na babae sa pakikipag-ugnayan sa produkto. Huwag i-contaminate ng tubig sa produkto o sa talagayan nito. Huwag linisin ang mga kagamitan malapit sa tubig sa surface water. Iwasan ang kontaminasyon sa pamamagitan ng mga kanal mula sa mga anyong tubig (hal., mga lawa, sapa, lawa). Huwag mag-iwan ng mga butil sa ibabaw ng lupa pagkatapos ng aplikasyon. Ang butil ay dapat isama sa lupa o tubig upang maprotektahan ang mga ibon. Ang mga nalapong butil ay dapat na agad na ibabaw sa lupa. Huwag ilapat kapag ang kondisyon ng panahon ay pumapabor sa pag-anod mula sa target na lugar. Huwag mag-apply kung malamang na umulan sa loob ng 24 na oras ng aplikasyon.

SYMPTOMS OF POISONING: SIEGE® PRO has a low acute toxicity animals and poisoning is unlikely to occur. No cases of human poisoning have been reported and human symptomatology is unknown.

FIRST AID:

If inhaled: Move subject to fresh air.

If swallowed: Immediately rinse mouth and then drink 200-300ml of water. Do not give anything or induce vomiting if patient is unconscious.

If on skin: Remove contaminated clothing and wash affected area with running water, using soap if available.

If in eyes: Immediately flush affected eye with running water for at least 15 minutes.

Get medical attention.

NOTE TO PHYSICIAN: There is no specific antidote. Treatment should be symptomatic.

Lot / Batch No.: See packaging/label
Formulation Date: See packaging/label
Expiry Date: See packaging/label

HYDRAMETHYLNON GROUP 20A INSECTICIDE

BASF
We create chemistry

Siege® Pro Bait
Insecticide

Fire Ant Bait In Pineapple

Active ingredient:
Hydramethylnon 7.3 g/kg
Inert Ingredients Up to 1kg

REGISTERED WITH THE FERTILIZER AND
PESTICIDE AUTHORITY PURSUANT TO P.D. 1144
FPA REGISTRATION NUMBER: 005-292-0772

Net Content:
11.34kg

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS FOR USE: As the formulation contains an oil which turns rancid upon prolonged exposure to air, it is recommended that the product be fully used within three months after opening container. Being a slow-acting stomach insecticide, broadcast SIEGE® PRO GRANULAR BAIT using ground equipment (spinning disk or turbine types after ant infestation levels have been determined. Application can be through broadcast treatment or installation of bait station. Treat fields preferably before an attack. Apply treatment during late afternoon or at night. Affected ants become moribund and die within 24 to 72 hours.

Crop	Target Pest	Dosage Rate (Kg/Ha)	Application Method
Pineapple	Big-headed ants (<i>Pheidole megacephala</i>), Fire ants (<i>Solenopsis spp</i>)	2	Broadcast treatment or installation of bait station

TIMING OF APPLICATION: Can be applied before induction and post induction of flora on plant crop and ratoon crops up to 15 days before harvest.

RE-ENTRY PERIOD: 0 day

TREATMENT INTERVAL: Apply when necessary based on the result of survey or monitoring in the field.

COMPATIBILITY: Not to be mixed with other pesticides.

STORAGE AND CONTAINER DISPOSAL: Store in the closed, original container in a cool, well-ventilated area away from food, drink and animal feeding stuffs. Do not store for prolonged periods in direct sunlight. DO NOT re-use this container for any purpose. Triple-rinse empty container and spray out over treated field prior to disposal or recycling. Do not discharge into the subsoil/soil and drains/surface waters/groundwater. Dispose of in accordance with national and local regulations and requirements.

PROHIBITION AND WARRANTY: It is a violation of the FPA rules and regulations to use this product in a manner inconsistent to its label. No warranty of any kind, expressed or implied, is made concerning the use of this product. User assumes all risk and liability resulting from handling use or application.

IN CASE OF EMERGENCY, PLEASE CONTACT:

BASF Emergency Contact Details
National Emergency No.:
+632 8831 5576
International Emergency No.:
+49 180 2273-112

**National Poison Management
and Control Center**
PGH, Manila
Tel: (02) 8554 8400 loc. 3976,
(02) 8524 1078
Globe: +63 966 718 9904

Siege® Pro is a Registered Trademark of BASF

Registered by:
BASF Philippines, Inc.
Units 3 & 4, Upper Penthouse, CTP ASEAN Tower, Bldg 3
Lot 2, Spectrum District, Filinvest Corporate City, Alabang,
Muntinlupa City, 1781, Metro Manila, Philippines

