

Safety data sheet

Page: 1/13

BASF Safety data sheet

Date / Revised: 03.01.2024 Version: 7.0

Product: Fastac® 250 SC

(30356704/SDS_CPA_PH/EN)

Date of print: 28.01.2025

1. Substance/preparation and manufacturer/supplier identification

Product name:

Fastac® 250 SC

Use: crop protection product, insecticide

Manufacturer/supplier:

BASF Philippines, Inc.
Upper Penthouse CTP ASEAN Tower
Asean Drive, Spectrum District
Filinvest Corporate City, Alabang,
Muntinlupa City, 1781, Metro Manila
PHILIPPINES

Telephone: +63 2 8811-8001 E-mail address: psr.ph@basf.com

Emergency information:

National emergency number:

+63 2 8831 5576

International emergency number: Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:

Acute toxicity: Cat.5 (oral)

Acute toxicity: Cat.5 (Inhalation - mist)

Specific target organ toxicity — single exposure: Cat.3 (irritating to respiratory system) Specific target organ toxicity — repeated exposure: Cat.2

Specific target organ toxicity — repeated exposure: Cat.2 Hazardous to the aquatic environment - acute: Cat.1 Hazardous to the aquatic environment - chronic: Cat.1

Label elements and precautionary statement:

Product: Fastac® 250 SC

(30356704/SDS_CPA_PH/EN)

Date of print: 28.01.2025

Pictogram:







Signal Word:

Warning

Hazard Statement:

H373 May cause damage to organs through prolonged or repeated exposure.

H335 May cause respiratory irritation.

H303 + H333 May be harmful if swallowed or if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P271 Use only outdoors or in a well-ventilated area.
P260 Do not breathe dust/gas/mist/vapours.
P262 Do not get in eyes, on skin, or on clothing.

Precautionary Statements (Response):

P312 Call a POISON CENTER or physician if you feel unwell.

P314 Get medical advice/attention if you feel unwell.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P391 Collect spillage.

Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

May cause paraesthesia. Contains:

alpha-cypermethrinMay produce an allergic reaction. Contains:

1,2-benzisothiazol-3(2H)-one

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

Product: Fastac® 250 SC

(30356704/SDS_CPA_PH/EN)

Date of print: 28.01.2025

crop protection product, insecticide, suspension concentrate (SC)

Hazardous ingredients

alpha-cypermethrin

Content (W/W): 23.15 % Acute Tox.: Cat. 4 (Inhalation - dust)

CAS Number: 67375-30-8 Acute Tox.: Cat. 3 (oral) Skin Corr./Irrit.: Cat. 3

STOT SE: Cat. 3 (irr. to respiratory syst.) STOT RE (Nervous system): Cat. 2

Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 1 M-factor acute: 10000 M-factor chronic: 1000

1,2-benzisothiazol-3(2H)-one

Content (W/W): < 0.05 % Acute Tox.: Cat. 4 (oral) CAS Number: 2634-33-5 Skin Corr./Irrit.: Cat. 2

Skin Corr./Irrit.: Cat. 2 Eye Dam./Irrit.: Cat. 1 Skin Sens.: Cat. 1 Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 1 M-factor acute: 1 M-factor chronic: 1

propane-1,2-diol

Content (W/W): < 20 % CAS Number: 57-55-6

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Product: Fastac® 250 SC

(30356704/SDS_CPA_PH/EN)

Date of print: 28.01.2025

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

Specific hazards:

carbon monoxide, hydrogen chloride, carbon dioxide, hydrogen bromide, nitrogen oxides, halogenated compounds, cyanides, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions:

Do not discharge into the subsoil/soil.Do not discharge into drains/surface waters/groundwater.

Product: Fastac® 250 SC

(30356704/SDS_CPA_PH/EN)

Date of print: 28.01.2025

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Dispose of absorbed material in accordance with regulations. Wear suitable protective equipment.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 24 Months

Protect from temperatures below: -10 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

alpha-Cypermethrin, 67375-30-8;

TWA value 0.11 mg/m3 (BASF recomm. occupational exposure limit)

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Product: Fastac® 250 SC

(30356704/SDS_CPA_PH/EN)

Date of print: 28.01.2025

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid Colour: white

Odour: characteristic

Odour threshold: Not determined due to potential health hazard by inhalation.

pH value: approx. 9 - 11

(20 °C)

(measured with the undiluted

substance)

Melting temperature: approx. 0 °C

Information applies to the solvent.

Boiling range: approx. 85 - 100 °C

Flash point: (ISO 2719)

Non-flammable.

Evaporation rate:

not applicable

Flammability (solid/gas): not applicable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Product: Fastac® 250 SC

(30356704/SDS_CPA_PH/EN)

Date of print: 28.01.2025

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Ignition temperature:

Based on the water content the

product does not ignite.

Thermal decomposition: No decomposition if stored and

handled as prescribed/indicated.

Explosion hazard: Based on the chemical structure

there is no indication of explosive

properties.

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

Vapour pressure: approx. 23.4 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 1.08 g/cm3

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Pow):

not applicable

Viscosity, dynamic: 338 - 582 mPa.s

(25 °C, 10 1/s)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as

prescribed/indicated.

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Product: Fastac® 250 SC

(30356704/SDS_CPA_PH/EN)

Date of print: 28.01.2025

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): 2,132 mg/kg (OECD Guideline 401)

Acute dermal toxicity

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Assessment of acute toxicity

Of low toxicity after single ingestion. Of low toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Information on: alpha-cypermethrin

Acute inhalation toxicity

Experimental/calculated data:

LC50 rat (by inhalation): 2.29 mg/l 4 h (OECD Guideline 403)

Tested as dust aerosol.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

Not irritating to eyes and skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:

No sensitizing effect.

Experimental/calculated data:

Product: Fastac® 250 SC

(30356704/SDS_CPA_PH/EN)

Date of print: 28.01.2025

modified Buehler test guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-cypermethrin

Assessment of repeated dose toxicity:

Repeated oral exposure may affect certain organs. Damages the peripheral nerve system.

Aspiration hazard

not applicable

Other relevant toxicity information

Misuse can be harmful to health.

Product: Fastac® 250 SC

(30356704/SDS_CPA_PH/EN)

Date of print: 28.01.2025

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-cypermethrin

Toxicity to fish:

LC50 (96 h) 0.00093 mg/l, Pimephales promelas (OPP 72-1 (EPA-Guideline), Flow through.)

Information on: alpha-cypermethrin

Aquatic invertebrates:

EC50 (48 h) 12,6 ng/l, Chironomus riparius

Information on: alpha-cypermethrin

Aquatic plants:

EC50 (7 d) > 0.00139 mg/l (growth rate), Lemna gibba (OECD Guideline 201)

No observed effect concentration (7 d) > 0.00139 mg/l (growth rate), Lemna gibba (OECD Guideline 221, static)

EC50 (72 h) > 0.027 mg/l (growth rate), Anabaena flos-aquae (OECD Guideline 201)

Information on: alpha-cypermethrin

Chronic toxicity to fish:

No observed effect concentration (34 d) 0,03 µg/L, Pimephales promelas (OPP 72-4 (EPA-

Guideline), Flow through.)

Information on: alpha-cypermethrin

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), 0,03 µg/L, Daphnia magna (OPP 72-4 (EPA-Guideline),

semistatic)

·

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-cypermethrin

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Product: Fastac® 250 SC

(30356704/SDS_CPA_PH/EN)

Date of print: 28.01.2025

Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-cypermethrin

Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-cypermethrin

Bioaccumulation potential:

Bioconcentration factor: 155 - 910 (73 d), Cyprinus carpio (OECD Guideline 305 C)

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (ALPHA-CYPERMETHRIN)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

None known

user:

Sea transport

IMDG

Product: Fastac® 250 SC

(30356704/SDS_CPA_PH/EN)

Date of print: 28.01.2025

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (ALPHA-CYPERMETHRIN)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Marine pollutant: YES

Special precautions for

user:

EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (ALPHA-CYPERMETHRIN)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Other regulations

To avoid risks to man and the environment, comply with the instructions for use.

Registration status:

PICCS, PH

Listed in PICCS.

BASF Safety data sheet Date / Revised: 03.01.2024

Version: 7.0 Product: Fastac® 250 SC

(30356704/SDS_CPA_PH/EN)

Date of print: 28.01.2025

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.