

Safety data sheet

Page: 1/18

BASF safety data sheet. This document has been drafted following generic rules for safety data sheets. It does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 01.10.2024 Version: 8.0

Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Kotetsu® 10 SC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, insecticide

1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 3 (oral) H301 Toxic if swallowed.

Date / Revised: 01.10.2024 Version: 8.0
Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

Acute Tox. 4 (Inhalation - mist) H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 2 H371 May cause damage to organs (Central nervous system).

STOT RE 2 H373 May cause damage to organs (Central nervous system)

through prolonged or repeated exposure.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Globally Harmonized System, EU (GHS)

Pictogram:







Signal Word:

Danger

Hazard Statement:

H332 Harmful if inhaled. H301 Toxic if swallowed.

H317 May cause an allergic skin reaction.

H371 May cause damage to organs (Central nervous system).
H373 May cause damage to organs (Central nervous system) through

prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280 Wear protective gloves.

P271 Use only outdoors or in a well-ventilated area.

P260 Do not breathe dust/gas/mist/vapours.

P264 Wash contaminated body parts thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do not eat, drink or smoke when using this product.

Precautionary Statements (Response):

P308 + P311 IF exposed or concerned: Call a POISON CENTER or physician.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or physician.

Date / Revised: 01.10.2024 Version: 8.0
Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P314 Get medical advice/attention if you feel unwell.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P330 Rinse mouth. P391 Collect spillage.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):
P405 Store locked up.
Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Hazard determining component(s) for labelling: chlorfenapyr (ISO), reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, insecticide, suspension concentrate (SC)

Regulatory relevant ingredients

chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Date / Revised: 01.10.2024 Version: 8.0 Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

Content (W/W): 10 % Acute Tox. 2 (Inhalation - dust)

CAS Number: 122453-73-0 Acute Tox. 3 (oral)

INDEX-Number: 608-034-00-3 STOT SE (Central nervous system) 2

STOT RE (Central nervous system) 2

Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 100 M-factor chronic: 100

H330, H301, H371, H373, H400, H410

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts

> Content (W/W): < 5 % Eye Dam./Irrit. 2 CAS Number: 68425-94-5 Aquatic Chronic 3

H319, H412

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -

isothiazol-3- one [EC no. 220-239-6] (3:1)

Content (W/W): < 0.01 % Acute Tox. 3 (oral)

CAS Number: 55965-84-9 Acute Tox. 2 (Inhalation - mist)

Acute Tox. 2 (dermal) REACH registration number: 01-Skin Corr. 1C

2120764691-48

NDEX-Number: 613-167-00-5

Eve Dam. 1 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 100 M-factor chronic: 100

H301, H317, H314, H310 + H330, H400, H410

EUH071

Specific concentration limit:

Skin Sens. 1A: >= 0.0015 % Eye Dam./Irrit. 1: >= 0.6 % Eye Dam./Irrit. 2: 0.06 - < 0.6 % Skin Corr./Irrit. 1C: >= 0.6 % Skin Corr./Irrit. 2: 0.06 - < 0.6 %

Propane-1,2-diol

Content (W/W): < 10 % CAS Number: 57-55-6 EC-Number: 200-338-0

REACH registration number: 01-

2119456809-23

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

Date / Revised: 01.10.2024 Version: 8.0
Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200 - 300 ml water, do not induce vomiting, seek medical attention. If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting unless told to by a poison control center or doctor. Take patient to hospital immediately. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product. Medical monitoring for at least 7 days.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Symptoms of poisoning may only appear after several hours or several days.

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: water spray, carbon dioxide, foam, dry powder

Date / Revised: 01.10.2024 Version: 8.0
Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

Unsuitable extinguishing media for safety reasons: water jet

5.2. Special hazards arising from the substance or mixture

Endangering substances: Carbon monoxide, Carbon dioxide, Hydrogen bromide, Hydrochloric acid, Hydrogen fluoride, nitrogen oxides, sulfur oxides, silica compounds, halogenated compounds, aluminum compounds

Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

Date / Revised: 01.10.2024 Version: 8.0
Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 60 Months

Protect from temperatures below:0 °C

The product can crystallize below the limit temperature.

Protect from temperatures above:40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol

122453-73-0: chlorfenapyr (ISO)

TWA value 0.3 mg/m3 (BASF recomm. occupational exposure limit)

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Date / Revised: 01.10.2024 Version: 8.0
Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter: liquid Form: liquid Colour: off-white

Odour: faint odour, bitter almond-like

Odour threshold:

Not determined since harmful by

inhalation.

Freezing point: approx. 0 °C

Information applies to the solvent.

Boiling point: approx. 100 °C

Information applies to the solvent.

Flammability: not applicable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Flash point:

Non-flammable.

Date / Revised: 01.10.2024 Version: 8.0
Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

Auto-ignition temperature: approx. 520 °C (Directive 92/69/EEC, A.15)

Thermal decomposition: 252 °C, 240 kJ/kg (DSC (OECD 113))

310 °C, 130 kJ/kg (DSC (OECD 113)) 450 °C, > 90 kJ/kg (DSC (OECD 113))

Not a substance liable to self-decomposition according to UN transport

regulations, class 4.1.

SADT: > 75 °C

Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)

pH value: approx. 6 - 8

(1 %(m), 21 °C)

Viscosity, dynamic: approx. 68 mPa.s (OECD Guideline 114)

(20 °C, 100 1/s)

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Vapour pressure: approx. 23.3 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 1.07 g/cm3 (OECD Guideline 109)

(20 °C)

Relative vapour density (air):

not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating (Directive 2004/73/EC, A.21)

Other safety characteristics

Evaporation rate:

not applicable

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Date / Revised: 01.10.2024 Version: 8.0
Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid: strong acids, strong bases, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Of pronounced toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 mouse (oral): > 50 - < 300 mg/kg

The data on toxicology refer to the active ingredient. Same product LD50 is assigned for precautionary reasons in view of human poisoning incidents

LC50 rat (by inhalation): 2.62 mg/l 4 h (OECD Guideline 403)

An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Information on: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Experimental/calculated data:

LD50 mouse (oral): > 50 - < 300 mg/kg (OECD Guideline 401)

<u>Irritation</u>

Assessment of irritating effects:

Not irritating to eyes and skin.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (OECD Guideline 404)

Date / Revised: 01.10.2024 Version: 8.0
Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

Serious eye damage/irritation

rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: skin sensitizing (other)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

A single exposure may have relevant toxic effects on organs.

Target organ: Central nervous system

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Date / Revised: 01.10.2024 Version: 8.0
Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

Information on: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Assessment of repeated dose toxicity:

Repeated exposure may affect certain organs. Affects the central nervous system.

Information on: reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation. Based on available data, the classification criteria are not met.

Aspiration hazard

not applicable

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

Other relevant toxicity information

Reported human health effects after incorporation: immediate symptoms after oral ingestion may comprise nausea, vomiting, sweating and abdominal pain. Subsequent symptoms emerging with a delay of a few days up to 10-14 days may include drowsiness, tachypnea, tachycardia or arrhythmia, hypertension, fever, diaphoresis, muscle fasciculation, muscle stiffness, weakness of limbs (sometimes leading to paralysis), hepatic and renal dysfunction, pancreatitis, and sudden disturbance of consciousness followed by coma and cardiac arrest. Misuse can be fatal.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

Date / Revised: 01.10.2024 Version: 8.0
Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

LC50 (96 h) 0.463 mg/l, Cyprinus carpio

Aquatic invertebrates:

EC50 (48 h) 0.0407 mg/l, Daphnia magna

Aquatic plants:

EC50 (72 h) 126 mg/l (growth rate), Pseudokirchneriella subcapitata

No observed effect concentration (72 h) 0.772 mg/l (growth rate), Pseudokirchneriella subcapitata

Information on:chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Chronic toxicity to fish:

No observed effect concentration (93 d) 0.003678 mg/l, Oncorhynchus mykiss

Information on:chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (28 d) 0.000172 mg/l, Mysidopsis bahia

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile Bioaccumulation potential:

Bioconcentration factor(BCF): 116, Cyprinus carpio Accumulation in organisms is not to be expected.

Date / Revised: 01.10.2024 Version: 8.0
Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Date / Revised: 01.10.2024 Version: 8.0
Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN2902

UN proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (CHLORFENAPYR)

Transport hazard class(es): 6.1, EHSM

Packing group: III Environmental hazards: yes

Special precautions for Tunnel code: E

user:

RID

UN number or ID number: UN2902

UN proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (CHLORFENAPYR)

Transport hazard class(es): 6.1, EHSM

Packing group: III Environmental hazards: yes

Special precautions for N

user:

None known

Inland waterway transport

ADN

UN number or ID number: UN2902

UN proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (CHLORFENAPYR)

Transport hazard class(es): 6.1, EHSM

Packing group: III Environmental hazards: yes

Special precautions for No

opeciai precauti

None known

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number: UN 2902

UN proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (CHLORFENAPYR)

Date / Revised: 01.10.2024 Version: 8.0
Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

Transport hazard class(es): 6.1, EHSM

Packing group: III Environmental hazards: yes

Marine pollutant: YES

Special precautions for EmS: F-A; S-A

user:

Air transport

IATA/ICAO

UN number or ID number: UN 2902

UN proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (CHLORFENAPYR)

Transport hazard class(es): 6.1 Packing group: III

Environmental hazards: No Mark as dangerous for the environment is needed

Special precautions for None known

user:

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Date / Revised: 01.10.2024 Version: 8.0
Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3, 75

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):

List entry in regulation: E1

Classification applies for standard conditions of temperature and pressure.

List entry in regulation: H2

Classification applies for standard conditions of temperature and pressure.

To avoid risks to man and the environment, comply with the instructions for use.

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Acute Tox. Acute toxicity
Skin Sens. Skin sensitization

STOT SE Specific target organ toxicity — single exposure
STOT RE Specific target organ toxicity — repeated exposure
Aquatic Acute Hazardous to the aquatic environment - acute
Hazardous to the aquatic environment - chronic

Eye Dam./Irrit. Serious eye damage/eye irritation

Skin Corr.
Eye Dam.
Skin corrosion
Serious eye damage
Skin Corr./Irrit.
Skin corrosion/irritation
H332
Harmful if inhaled.
Toxic if swallowed.

H317 May cause an allergic skin reaction.

H371 May cause damage to organs (Central nervous system).

H373 May cause damage to organs (Central nervous system) through

prolonged or repeated exposure.

H400 Very toxic to aquatic life.

Date / Revised: 01.10.2024 Version: 8.0
Date / Previous version: 02.08.2022 Previous version: 7.0

Product: Kotetsu® 10 SC

(ID no. 30658892/SDS_CPA_EU/EN)

Date of print 28.01.2025

H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the
	instructions for use.
H330	Fatal if inhaled.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
H314	Causes severe skin burns and eye damage.
H310 + H330	Fatal in contact with skin or if inhaled.
EUH071	Corrosive to the respiratory tract.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit, LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships, NEN = Dutch Norm, NOEC = No Observed Effect Concentration, OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.