

## Safety data sheet

Page: 1/13

BASF Safety data sheet  
Date / Revised: 01.12.2022  
Product: **Zampro® DM**

Version: 8.0

(30507559/SDS\_CPA\_PH/EN)

Date of print): 28.01.2025

### 1. Substance/preparation and manufacturer/supplier identification

**Product name:**  
**Zampro® DM**

Use: crop protection product, fungicide

Manufacturer/supplier:  
BASF Philippines, Inc.  
Upper Penthouse CTP ASEAN Tower  
Asean Drive, Spectrum District  
Filinvest Corporate City, Alabang,  
Muntinlupa City, 1781, Metro Manila  
PHILIPPINES  
Telephone: +63 2 8811-8001  
E-mail address: psr.ph@basf.com

Emergency information:  
National emergency number:  
+63 2 8831 5576  
International emergency number:  
Telephone: +49 180 2273-112

### 2. Hazard identification

Classification of the substance and mixture:  
Acute toxicity: Cat.4 (oral)  
Reproductive toxicity: Cat.2 (fertility)  
Reproductive toxicity: Cat.2 (unborn child)  
Hazardous to the aquatic environment - acute: Cat.3  
Hazardous to the aquatic environment - chronic: Cat.1

Label elements and precautionary statement:

Pictogram:

BASF Safety data sheet  
 Date / Revised: 01.12.2022  
 Product: **Zampro® DM**

Version: 8.0

(30507559/SDS\_CPA\_PH/EN)

Date of print): 28.01.2025



Signal Word:  
 Warning

Hazard Statement:

H302	Harmful if swallowed.
H361	Suspected of damaging fertility. Suspected of damaging the unborn child.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth
P391	Collect spillage.
P308 + P313	IF exposed or concerned: Get medical attention.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

### 3. Composition/information on ingredients

#### Chemical nature

Substance nature: mixture

crop protection product, fungicide, suspension concentrate (SC)

BASF Safety data sheet  
Date / Revised: 01.12.2022  
Product: **Zampro® DM**

Version: 8.0

(30507559/SDS\_CPA\_PH/EN)

Date of print): 28.01.2025

### **Hazardous ingredients**

ametoctradine (ISO); 5-ethyl-6-octyl[1,2,4]triazolo[1,5- $\alpha$ ]pyrimidin-7-amine  
Content (W/W): 26.93 %      Aquatic Chronic: Cat. 1  
CAS Number: 865318-97-4

Dimethomorph techn.  
Content (W/W): 20.2 %      Acute Tox.: Cat. 5 (oral)  
CAS Number: 110488-70-5      Repr.: Cat. 2 (fertility)  
Repr.: Cat. 2 (unborn child)  
Aquatic Acute: Cat. 2  
Aquatic Chronic: Cat. 2

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt  
Content (W/W): < 5 %      Eye Dam./Irrit.: Cat. 2A  
CAS Number: 102980-04-1      Aquatic Acute: Cat. 3  
Aquatic Chronic: Cat. 3

propane-1,2-diol  
Content (W/W): < 10 %  
CAS Number: 57-55-6

---

## **4. First-Aid Measures**

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

Suitable extinguishing media:  
water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons:  
water jet

Specific hazards:  
carbon monoxide, carbon dioxide, hydrogen chloride, nitrogen oxides, halogenated compounds, silica compounds, sulfur oxides  
The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:  
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:  
In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## 6. Accidental Release Measures

Personal precautions:  
Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:  
Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:  
For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).  
For large amounts: Dike spillage. Pump off product.  
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

---

## 7. Handling and Storage

### Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:  
The substance/product is non-combustible. Product is not explosive. No special precautions necessary.

BASF Safety data sheet  
Date / Revised: 01.12.2022  
Product: **Zampro® DM**

Version: 8.0

(30507559/SDS\_CPA\_PH/EN)

Date of print): 28.01.2025

### Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 60 Months

Protect from temperatures below: -5 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

---

## 8. Exposure controls and personal protection

### Components with occupational exposure limits

dimethomorph, 110488-70-5;

TWA value 0.67 mg/m3 (BASF recomm. occupational exposure limit)

ametoctradin, 865318-97-4;

TWA value 28.21 mg/m3 (BASF recomm. occupational exposure limit)

### Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

BASF Safety data sheet  
 Date / Revised: 01.12.2022  
 Product: **Zampro® DM**

Version: 8.0

(30507559/SDS\_CPA\_PH/EN)

Date of print): 28.01.2025

## 9. Physical and Chemical Properties

Form:	liquid	
Colour:	white	
Odour:	faintly aromatic	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
pH value:	approx. 6 - 8 (CIPAC standard water D, 1 %(m), 20 °C)	(other)
Freezing point:	approx. -6.2 °C	
Boiling point:	approx. 100 °C (1,013 hPa)	
Flash point:	No flash point - Measurement made up to the boiling point.	(Directive 92/69/EEC, A.9)
Evaporation rate:	not applicable	
Flammability (solid/gas):	not applicable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	463 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	220 °C , 20 kJ/kg	(DSC (OECD 113))
	285 °C , 340 kJ/kg	(DSC (OECD 113))
Explosion hazard:	Not a substance liable to self- decomposition according to UN transport regulations, class 4.1. Based on the chemical structure there is no indication of explosive properties.	(Directive 92/69/EEC, A.14)
Fire promoting properties:	not fire-propagating	(Directive 2004/73/EC, A.21)
Vapour pressure:	approx. 23 hPa Information applies to the solvent.	

BASF Safety data sheet  
Date / Revised: 01.12.2022  
Product: **Zampro® DM**

Version: 8.0

(30507559/SDS\_CPA\_PH/EN)

Date of print): 28.01.2025

Density: approx. 1.11 g/cm<sup>3</sup> (OECD Guideline 109)  
(approx. 20 °C)

Relative vapour density (air):  
not applicable

Solubility in water: dispersible  
Partitioning coefficient n-octanol/water (log Pow):  
The statements are based on the  
properties of the individual  
components.

Information on: Dimethomorph techn.  
Partitioning coefficient n-octanol/water (log Pow): 2.63 - 2.73  
(20 °C)  
-----

Viscosity, dynamic: approx. 81 mPa.s (OECD 114)  
(20 °C, 100 1/s)

Other Information:  
If necessary, information on other physical and chemical parameters is indicated in this section.

---

## 10. Stability and Reactivity

Conditions to avoid:  
See SDS section 7 - Handling and storage.

Thermal decomposition: 220 °C, 20 kJ/kg (DSC (OECD 113))

Thermal decomposition: 285 °C, 340 kJ/kg (DSC (OECD 113))

Thermal decomposition: Not a substance liable to self-decomposition according to  
UN transport regulations, class 4.1.

Substances to avoid:  
strong acids, strong bases, strong oxidizing agents

Hazardous reactions:  
No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:  
No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:  
The product is stable if stored and handled as prescribed/indicated.

---

## 11. Toxicological Information

### Routes of exposure

#### Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): > 500 - < 2,000 mg/kg (OECD Guideline 423)

### **Acute inhalation toxicity**

LC50 rat (by inhalation): > 5.1 mg/l 4 h (OECD Guideline 403)

No mortality was observed. An aerosol was tested.

### **Acute dermal toxicity**

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)

### **Assessment of acute toxicity**

Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

### **Symptoms**

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

(Further) symptoms and / or effects are not known so far

### **Irritation**

Assessment of irritating effects:

Not irritating to the eyes. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)

### **Respiratory/Skin sensitization**

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

Buehler test guinea pig: (OECD Guideline 406)

Mouse Local Lymph Node Assay (LLNA) mouse: (OECD Guideline 429)

### **Germ cell mutagenicity**

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### **Carcinogenicity**

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### **Reproductive toxicity**

Assessment of reproduction toxicity:



The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment of reproduction toxicity:

The results of animal studies suggest a fertility impairing effect.

### Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

### Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment of repeated dose toxicity:

The substance may cause damage to the prostate after repeated ingestion. Based on available data, the classification criteria are not met.

### Aspiration hazard

No aspiration hazard expected.

### Other relevant toxicity information

Misuse can be harmful to health.

---

## 12. Ecological Information

## Ecotoxicity

Assessment of aquatic toxicity:

Harmful to aquatic life. Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 23.2 mg/l, *Oncorhynchus mykiss* (OECD 203; ISO 7346; 92/69/EEC, C.1, static)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, *Daphnia magna* (OECD Guideline 202, part 1)

Aquatic plants:

EC50 (72 h) 74.2 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Chronic toxicity to fish:

EC10 (60 d) 0.116 mg/l, *Oncorhynchus mykiss*

No observed effect concentration (34 d) 0.107 mg/l, *Pimephales promelas*  
-----

Information on: ametoctradine (ISO); 5-ethyl-6-octyl[1,2,4]triazolo[1,5- $\alpha$ ]pyrimidin-7-amine

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), 0.044 mg/l, *Daphnia magna* (OECD Guideline 211, semistatic)

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), 0.22 mg/l, *Daphnia magna*

EC10 (21 d), 0.421 mg/l, *Daphnia magna*  
-----

## Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: ametoctradine (ISO); 5-ethyl-6-octyl[1,2,4]triazolo[1,5- $\alpha$ ]pyrimidin-7-amine

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.  
-----

## Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: ametoctradine (ISO); 5-ethyl-6-octyl[1,2,4]triazolo[1,5- $\alpha$ ]pyrimidin-7-amine

Assessment biodegradation and elimination (H<sub>2</sub>O):

According to OECD criteria the product is not readily biodegradable but inherently biodegradable.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment biodegradation and elimination (H<sub>2</sub>O):

Not readily biodegradable (by OECD criteria).

## Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: ametoctradine (ISO); 5-ethyl-6-octyl[1,2,4]triazolo[1,5- $\alpha$ ]pyrimidin-7-amine

Bioaccumulation potential:

Bioconcentration factor: 197 - 202, *Lepomis macrochirus*

Accumulation in organisms is not to be expected.

## Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

## 13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

---

## 14. Transport Information

**Domestic transport:**

UN number or ID number: UN 3082

BASF Safety data sheet  
Date / Revised: 01.12.2022  
Product: **Zampro® DM**

Version: 8.0

(30507559/SDS\_CPA\_PH/EN)

Date of print): 28.01.2025

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S. (AMETOCTRADIN, DIMETHOMORPH)  
Transport hazard class(es): 9, EHSM  
Packing group: III  
Environmental hazards: yes  
  
Special precautions for user: None known

**Sea transport**

## IMDG

UN number or ID number: UN 3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S. (AMETOCTRADIN, DIMETHOMORPH)  
Transport hazard class(es): 9, EHSM  
Packing group: III  
Environmental hazards: yes  
Marine pollutant: YES  
Special precautions for user: EmS: F-A; S-F

**Air transport**

## IATA/ICAO

UN number or ID number: UN 3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S. (AMETOCTRADIN, DIMETHOMORPH)  
Transport hazard class(es): 9, EHSM  
Packing group: III  
Environmental hazards: yes  
Special precautions for user: None known

**Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

---

**15. Regulatory Information**

### **Other regulations**

To avoid risks to man and the environment, comply with the instructions for use.

1. Joint DTI-DENR-DA-DOF-DOH-DILG-DOLE-DOTC Administrative Order No. 01 Series of 2009 on "The Adoption and Implementation of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)"
2. DAO 2015-09 "Rules and Procedures for the Implementation of the Globally Harmonized System (GHS) of Classification and Labelling of Chemicals in Preparation of Safety Data Sheet (SDS) and Labelling Requirements of Toxic Chemical Substances"
3. Republic Act No. 6969, "Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990"

The regulatory information is not intended to be comprehensive. Other regulations may apply to the material

### **Registration status:**

PICCS, PH

Not listed.

---

## **16. Other Information**

---

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.