

**PRECAUTIONS:** This product is toxic to aquatic invertebrates (such as prawns) and to honeybees. Do not allow this product to contaminate any waterbody (e.g. river, pond or irrigation canal). Be vigilant to avoid contamination happening by spray drift, spillage, discarded sprayer washings or from leftover spray solution. Do not spray this product within 2 meters distance of any waterbody when using a backpack sprayer or within 5 meters of any waterbody when using any other type of sprayer. Do not use this product in any waterbody in which aquaculture (e.g. cultivation of fish, prawns or shellfish) is being conducted. To prevent harm to honeybees, avoid the spray contacting flowering weeds or any flowering plants in or near the treated area. Do not use this product in any crop in which honeybees will be active within 28 days of the application. Do not feed rice straw to livestock immediately after spraying this product. During seed treatment, to protect birds and wild mammals, seeds treated with this product must be immediately buried, submerged or otherwise covered at planting time. Spillages of treated seed must be removed.

**KAUKULANG PAG-IINGAT:** Itago sa orihinal na lalagyan, nakasarang mahigpit at malayo sa pagkaing tao o hayop. Huwag kumain, luminom o manigarilyo habang humahawak, naghahalo o nagbobomba. Magsuot ng damit pananggalang tulad ng guwantes, mahabang pantalon o damit na mahaba ang manggas kapag humahawak ng pamatay-peste. Iwasang mahawaan ang balat, mata at damit. Hubarin at labhan ang nahawahang damit bago muling gamitin. Maligo pagkatapos humawak ng pamatay peste. Iwasang mapunta ang lason o ang lalagyan nito sa lugar ng inuming tubig, lawa, ilog o dagat.

**SIGNS AND SYMPTOMS OF POISONING:** In severe cases of overexposure by oral ingestion, lethargy, muscle tremors and, in extreme cases, possible convulsion may occur.

**FIRST -AID TREATMENT:** In case one or more of the above symptoms appear, stop working immediately and perform first aid treatment accordingly as stated below. Skin splashes/contact: Immediately wash contaminated skin with soap and water. Washing must be prolonged for at least 15 minutes. Remove contaminated clothing and wash thoroughly before re-use. Eye splashes/contact: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Get medical attention immediately. If inhaled: Remove the patient from immediate source of exposure. If no breathing is felt, conduct cardio-pulmonary resuscitation or artificial respiration. Get medical attention immediately. If ingested: Induce vomiting by touching back of the throat with a finger. If patient is unconscious, do not induce vomiting nor give anything by mouth. Get medical attention immediately.

**IN CASE OF EMERGENCY, PLEASE CONTACT:**

<p><b>BASF Philippines, Inc.</b> 11/F HHIC Building, 1128 University Parkway, North, Bonifacio, Global City, Taguig, M.M., Tel.: (02) 811-8000 Emergency Hotline No.: (02) 831 5576</p>	<p><b>National Poison Management and Control Center</b> PGH, Manila Tel.: (02) 524 1078; (02) 521 8450 loc 2311</p>	<p><b>Eastern Visayas Regional Medical Center</b> Magsaysay Boulevard, Tacloban City, Leyte Tel.: (053) 321 3131</p>	<p><b>Zamboanga City Medical Center</b> Dr. Evangelista St., Sta. Catalina, Zamboanga City Tel.: (062) 991 2934; (062) 991 0537</p>
---	---	--	---


**NOTE TO PHYSICIAN:** In case of suspected overexposure to ASCEND® 50SC, treat symptomatically. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. Phenobarbital, and to a lesser extent benzodiazepines, have been shown experimentally to be effective in preventing convulsions induced by ASCEND® 50SC. ASCEND® Fipronil is slowly absorbed through the gut. Absorption may be decreased by the use of the gastric lavage, saline purgative and activated charcoal (possible entero-hepatic circulation).



**ASCEND® 50 SC**

Stomach/Contact Insecticide for the control of Leafhopper, Sternborer, Brown Planthopper and Rice Bug in Rice, Diamond-Backed Moth (DBM) in Cabbage, Thrips and Leaf Beetles in Watermelon; Flower Thrips in Banana; Thrips and Cutworms in Onion; and Fruitborer and Thrips in Eggplant

**Composition:** Active Ingredient. **50 g/L Fipronil**  
Inerts. **950 g/L Water**



**SHAKE WELL BEFORE USE**

Registered WITH the Fertilizer and Pesticide Authority Pursuant to P.D. 1144

FPA Registration No.: 055-244-0580

Ascend is a registered Trademark of BASF

**250 mL**

Net Content:



**KEEP OUT OF REACH OF CHILDREN**

**GENERAL INFORMATION:** ASCEND 50 SC is a new Pyrazole contact/stomach insecticide, which provides excellent control against diamond-backed moth (DBM) in cabbage; sternborer, leafhopper, brown planthopper and rice bug in rice; thrips and leaf beetle in watermelon; thrips and cutworm in onion; flower thrips in banana; and fruitborer and thrips in eggplant. Acting specifically on immobilizing the GABA-regulated chloride channel of the insect nervous system, ASCEND 50 SC shows rather a longer residual activity of control.

**DIRECTIONS FOR USE:**

Crop	Insect Pests	Spray Volume/Ha	Number of Tankload/Ha	Dose Rate Tbsp/16 L
Rice	Sternborer, BPH, Leafhopper, Rice Bug	240 li	15	2.7 - 4.0
		192 li	12	3.4 - 5.2
		160 li	10	4.0 - 6.3
Cabbage	Diamondbacked Moth (DBM)	500 li	31.25	1.5 - 2.5
		320 li	20	2.5 - 3.75
		240 li	15	3.0 - 5.0
Watermelon	Thrips, Leaf Beetles	500 li	31.25	2.5 - 3.0
Onions	Cutworm	300 li	18.75	5.33
Eggplant	Shoot borer	400 li	25	3.0 - 4.0
Corn as seed Treatment	Seedling maggots	200 - 250 ml/20 kg seed		
Banana	Banana Flower Thrips	Dilute 6.0 mL product per liter of water. Inject 70 mL suspension mix per bud.		

1 Tbsp = 10 mL

**APPLICATION METHOD/FREQUENCY:** Thoroughly mix the recommended dose rate of ASCEND 50 SC with sufficient water and apply as high

volume spray when insect pest infestations are first noted. Repeat spray applications whenever necessary or when insect populations persist.

**COMPATIBILITY:** Do not apply in combination with other materials unless chemical and physical compatibility are known.

**PRE-HARVEST INTERVAL:** Do not apply 7 days before harvest.

**RE-ENTRY:** One day after application.

**STORAGE AND DISPOSAL:** Store in original container, tightly closed and locked in a safe place away from the reach of children and animals. Do not store near seeds, food and feedstuffs. Do not store near heat or open flame. Keep out of direct sunlight. Bury empty containers in an isolated area at least 0.5 meter depth and away from sources of water. Do not re-use empty containers.

**PROHIBITION AND WARRANTY:** It is a violation of FPA rules and regulations to use this product in a manner inconsistent with its label. No warranty of any kind, express or implied is made concerning the use of this product. The consumer assumes all risks and liabilities resulting from the handling, use or application of the product.

**BASF Philippines, Inc.**  
11/F HHIC Building., 1128 University Parkway, North, Bonifacio, Global City, 1634, Taguig, M.M.,  
Tel.: (02) 811-8000; Fax.: (02) 838 1025 - Emergency Hotline No.: (02) 831 5576

81110077 PH 1086



**CAUTION**