

PRECAUTIONS: Store in original container, tightly closed. Do not eat, drink or smoke while using this product. Avoid skin and eye contact and inhalation of spray mist. Wear protective clothing while mixing or applying the product. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Puncture and bury empty containers. Avoid contamination of water supply with chemical or empty containers.

BABALA: Huwag kumain, uminom o manigarilyo habang nagbobomba. Iwasang malanghap, malagyan ang mga mata at madikit sa balat ang kemikal. Magsuot ng damit pananggalang habang ginagamit ito. Hugasan ng sabon at tubig ang kamay, braso at mukha bago kumain o manigarilyo. Butasan at ibaon ang mga boteng pinagsidlan ng produkto. Iwasang maapektuhan ng kemikal at ng boteng sisidlan nito ang anumang pinagkukunan ng tubig.

FIRST AID TREATMENT: In case of poisoning, call a physician immediately. If **swallowed**, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Repeat until vomitus is clear. If **on skin**, remove contaminated clothing and wash affected areas with soap and water. If **eyes are contaminated**, flush eyes with clean running water for at least 15 minutes.

NOTE TO PHYSICIAN: Treat symptomatically.

PROHIBITION/WARRANTY: It is a violation of FPA rules and regulations to use this product in a manner inconsistent with its label. No warranty of any kind, expressed or implied, is made concerning the use of this product. User assumes all risks and liabilities resulting from handling, use or application.

IN CASE OF EMERGENCY, PLEASE CONTACT:

BASF Philippines, Inc.
11/F HHIC Building,
1128 University Parkway,
North Bonifacio, Global City,
1634, Taguig, Metro Manila
Tel.: (02) 811 8000
Fax: (02) 838 1025
Emergency Hotline No.: (02) 831 5576

**National Poison
Management and Control
Center**
PGH, Manila
Tel.: (02) 554 1078;
(02) 521 8400 loc 2311

**Eastern Visayas Regional
Medical Center**
Magsaysay Boulevard,
Tacloban City, Leyte
Tel.: (053) 321 3131

**Zamboanga City
Medical Center**
Dr. Evangelista St., Sta.
Catalina, Zamboanga City
Tel.: (062) 991 2934.
(062) 991 0537

BASF
We create chemistry

Basagran® 48 SL

Selective Post-Emergent Herbicide for
the Control of Sedges and Broadleaved
Weeds in Rice

Active Ingredient: 480 g/L Bentazon
Inert Ingredient: 520 g/L

Net Content:
1 Liter

REGISTERED WITH THE FERTILIZER AND PESTICIDE AUTHORITY PURSUANT TO P.D. 1144
FPA Registration Number: 005-098-0536

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS FOR USE:

Crop	Weeds Controlled	Dosage (Tbsp. per 16 L water)	Time of Application
Rice	Perennial sedges and broadleaved weeds	6 - 13	Spray Basagran® 48 SL once 14 days after transplanting/seedling

One tbsp = 10 mL

MIXING: Half-fill the sprayer tank with water. Add the required amount of Basagran® 48 SL while stirring vigorously. Add the remaining water to fill-up the spray tank. Use 1-1.5 liters Basagran® 48 SL per hectare.

COMPATIBILITY: Basagran® 48 SL is miscible with other herbicides, graminicides, fungicides, urea and foliar fertilizers.

PRE-HARVEST INTERVAL: 30 days before harvest.

RE-ENTRY: Immediately after spray deposit has dried up.

STORAGE AND CONTAINER DISPOSAL: Store in a cool dry place. Do not re-use empty container. Pesticide, spray mixture or rinsate that cannot be used should be buried or disposed of in a safe place away from sources of water.

Basagran® 48 SL is a Registered Trademark of BASF



BASF Philippines, Inc.
11/F HHIC Building,
1128 University Parkway,
North Bonifacio, Global City,
1634, Taguig, Metro Manila
Tel.: (02) 811 8000
Fax: (02) 838 1025
Emergency Hotline No.: (02) 831 5576



81111848 PH 1116



PRECAUTIONS: Store in original container, tightly closed. Do not eat, drink or smoke while using this product. Avoid skin and eye contact and inhalation of spray mist. Wear protective clothing while mixing or applying the product. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Puncture and bury empty containers. Avoid contamination of water supply with chemical or empty containers.

BABALA: Huwag kumain, uminom o manigarilyo habang nagbobomba. Iwasang malanghap, malagyan ang mga mata at madikit sa balat ang kemikal. Magsuot ng damit pananggalang habang ginagamit ito. Hugasan ng sabon at tubig ang kamay, braso at mukha bago kumain o manigarilyo. Butasan at ibaon ang mga boteng pinagsidlan ng produkto. Iwasang maapektuhan ng kemikal at ng boteng sisidlan nito ang anumang pinagkukunan ng tubig.

FIRST AID TREATMENT: *In case of poisoning*, call a physician immediately. *If swallowed*, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Repeat until vomitus is clear. *If on skin*, remove contaminated clothing and wash affected areas with soap and water. *In contact with eyes*, flush eyes with clean running water for at least 15 minutes.

NOTE TO PHYSICIAN: Treat symptomatically.

PROHIBITION/WARRANTY: It is a violation of FPA Rules and Regulations to use this product in a manner inconsistent with its label. No warranty of any kind, expressed or implied, is made concerning the use of this product. User assumes all risks and liabilities resulting from handling, use or application.

IN CASE OF EMERGENCY, PLEASE CONTACT:

BASF Philippines, Inc.
11/F HHIC Building,
1128 University Parkway,
North Bonifacio, Global City,
1634, Taguig, Metro Manila
Tel.: (02) 811 8000
Fax: (02) 838 1025

Emergency Hotline Number: (02) 831 5576

Eastern Visayas Regional Medical Center
Magsayay Boulevard, Tacloban City, Leyte
Tel.: (053) 321 3131

**National Poison Management
and Control Center**
PGH, Manila
Tel.: (02) 554 1078;
(02) 521 8400 loc 2311

**Zamboanga City Medical
Center**
Dr. Evangelista St., Sta.
Catalina, Zamboanga City
Tel.: (062) 991 2934; (062)
991 0537



Basagran® 48 SL

Selective Post-Emergent Herbicide for the Control of Sedges and Broadleaved Weeds in Rice

Active Ingredient: 480 g/L Bentazon
Inert Ingredient: 520 g/L

Net Content:

500 mL

REGISTERED WITH THE FERTILIZER AND PESTICIDE AUTHORITY
PURSUANT TO P.D. 1144
FPA Registration Number: 005-098-0536

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS FOR USE:

Crop	Weeds Controlled	Dosage (Tbsp. per 16 L water)	Time of Application
Rice	Perennial sedges and broadleaved weeds	6 - 13	Spray Basagran® 48 SL once 14 days after transplanting/seedling

One tbsp = 10 mL

MIXING: Half-fill the sprayer tank with water. Add the required amount of **Basagran® 48 SL** while stirring vigorously. Add the remaining water to fill-up the spray tank. Use 1-1.5 liters **Basagran® 48 SL** per hectare.

COMPATIBILITY: **Basagran® 48 SL** is miscible with other herbicides, graminicides, fungicides, urea and foliar fertilizers.

PRE-HARVEST INTERVAL: 30 days before harvest.

RE-ENTRY: Immediately after spray deposit has dried up.

STORAGE AND CONTAINER DISPOSAL: Store in a cool dry place. Do not re-use empty container. Pesticide, spray mixture or rinsate that cannot be used should be buried or disposed of in a safe place away from sources of water.

Basagran® 48 SL is a Registered Trademark of BASF



BASF Philippines, Inc.
11/F HHIC Building,
1128 University Parkway,
North Bonifacio, Global City,
1634, Taguig, Metro Manila
Tel.: (02) 811 8000
Fax: (02) 838 1025
Emergency Hotline Number: (02) 831 5576



81104631 PH 1056

