



FASTAC® 250 SC

FOR THE CONTROL OF INSECT PESTS ON RICE, CORN, EGGPLANT, STRINGBEANS, WATERMELON, TOMATO AND TOBACCO



Active Ingredient: *Alphacypermethrin* 250 g/L
Solvent: *Water* to 1 Liter

REGISTERED WITH THE FERTILIZER AND PESTICIDE AUTHORITY PURSUANT TO P.D. 1144
FPA Registration No.: 005-274-0675

48 x 100 mL KEEP OUT OF REACH OF CHILDREN

FASTAC® 250 SC

48 x 100 mL

FASTAC® is a highly active broad-spectrum pyrethroid insecticide containing 250 grams Alphacypermethrin per liter Suspension Concentrate (SC). FASTAC® is quickly effective by contact action or ingestion against most insect pests, in addition to controlling adult and larval stages of insect pests. FASTAC® has been shown to possess significant ovicidal action.

DIRECTIONS FOR USE:
FASTAC® 250 SC is registered for use against pests in rice, corn, watermelon, stringbeans, eggplant, tomato and tobacco.

CROP	PESTS	Dosage Rate mL/16 L of Water
Rice	Whorl Maggot, Stemborer, Rice Bug, Green Leafhopper, Brown Planthopper and Leaf folder	4-5
Corn	Maggots, Borers, Earworms	2-3
Watermelon	Armyworm, Leaf folder, Leafroller, Aphids, Squash Beetles	2-3
Stringbeans	Pod Borers, Aphids, Cutworm	2-3
Eggplant	Leafhoppers, Mites, Borers	2-3
Tomato	Fruitworm	2.5-3.5
Tobacco	Budworm, Cutworm, Aphids	2-3

MIXING: Fill the spray tank with clean water and agitate vigorously. Add the required quantity of FASTAC® and apply without delay. If a tank mix with another material is required, always add FASTAC® to the tank first and ensure that it is evenly dispersed through the tank before adding the second material. **FREQUENCY AND METHOD OF APPLICATION:** Apply as a high volume spray when insect population warrants chemical control. Repeat 7-14 days if necessary. **COMPATIBILITY:** FASTAC® is compatible with a wide range of other crop protection. **PRE-HARVEST INTERVAL:** Crops treated with FASTAC® can be harvested 3 days after spraying. **RE-ENTRY PERIOD:** Entry to field and crops treated with FASTAC® may be done 24 hours after spraying. **PROHIBITION:** IT IS A VIOLATION OF FPA RULES AND REGULATIONS TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABEL. **NOTICE TO BUYER:** No warranty of any kind, expressed or implied, is made concerning the use of this product. User assumes all risks and liabilities resulting from handling, use and application.

PRECAUTIONS: In all cases, read the product label before handling. Avoid contact with the skin, eyes, nose and mouth. Wear overalls or long-sleeved shirt, waterproof gloves, rubber boots and goggles or face shield, particularly when handling the concentrate. Do not eat, drink or smoke while spraying. Avoid skin contamination and inhalation of spray mist. Wash hands before eating, drinking, smoking or using the toilet. Change out of working clothes or take a bath or shower after handling or spraying the product. Launder protective clothing separately before re-use. Destroy and bury empty containers. Avoid contamination of any water supply with the chemical by storage or disposal.

SIGNS AND SYMPTOMS OF POISONING: No cases of human poisoning have been reported. Animal experiments suggest that following massive overexposure or purposeful ingestion, neurological symptoms, ataxia, convulsions, etc. would occur. Overexposure may cause local irritation of the skin (burning sensation on the face and elsewhere) and irritation of the respiratory tract causing rhinorrhoea, chest tightness or dyspnea. **FIRST AID:** In case of skin contact, remove contaminated clothing immediately and wash contaminated skin thoroughly with soap and water. In case of eye splashes, flush eyes immediately with plenty of clean running water for at least 15 minutes and obtain medical attention. If swallowed, do not induce vomiting; refer to doctor or nearest hospital taking the product label with the patient. If this procedure takes time, give 1-2 glasses of water if patient is conscious. May do gastric lavage if feasible. If inhaled, remove from contaminated area and bring to fresh air. Get medical attention.

NOTE TO PHYSICIAN: Treat symptomatically. Ingestion poses the major hazard. In case of ingestion, consider gastric lavage within 4 hours. In cases of gross overexposure, subject should be kept under observation as indicated by his/her condition. Convulsions should be treated with anti-convulsants.

STORAGE AND DISPOSAL: Keep in original container, tightly closed, in a safe place. Keep away from food, drink and animal feedstuffs. Keep out of reach of children. Wash out container thoroughly; empty washings into spray tank and dispose of safely. Do not re-use empty container for any purpose. Do not contaminate ponds, waterways or ditches with chemical or used container. Avoid contamination of waterways of spray drift. **Very toxic to aquatic organisms.**

IN CASE OF EMERGENCY, PLEASE CONTACT:

BASF Philippines, Inc. 11/F HHIC Building, 1128 University Parkway, North Bonifacio, Global City, 1634, Taguig, Metro Manila Tel.: (02) 811 8000; Fax: (02) 838 1025 Emergency Hotline Number: (02) 831-5576	National Poison Management and Control Center PGI, Manila Tel.: (02) 524 1078; (02) 554 8400 loc: 2311	Eastern Visayas Regional Medical Center Magsaysay Boulevard, Tacloban City, Leyte Tel.: (053) 321 3131	Zamboanga City Medical Center Dr. Evangelista St., Sta. Catalina, Zamboanga City Tel.: (062) 9912654 (062) 991 0537
--	--	---	---



(01)04014348564854

Fastac® is a Registered Trademark of BASF

BASF Philippines, Inc.
11/F HHIC Building,
1128 University Parkway,
North Bonifacio, Global City,
1634, Taguig, Metro Manila
Emergency Hotline Number: (02) 831-5576
Tel.: (02) 811 8000; Fax: (02) 838 1025



81107924 PH 1066

