

Safety data sheet

Page: 1/12

BASF Safety data sheet
Date / Revised: 20.07.2015
Product: **ZAMPRO**

Version: 4.0

(30487372/SDS_CPA_PH/EN)

Date of print 21.07.2015

1. Substance/preparation and manufacturer/supplier identification

ZAMPRO

Use: crop protection product, fungicide

Manufacturer/supplier:

BASF Philippines, Inc.
11/F HHIC Building, 1128 University Parkway,
North Bonifacio, Global City, Taguig, Metro Manila, PHILIPPINES
Telephone: +63 2 811-8000
Telefax number: +63 2 838-1025

Emergency information:

National emergency number:
+63 2 831 5576
International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:

Acute toxicity: Cat. 4 (oral)

Hazardous to the aquatic environment - acute: Cat. 3

Hazardous to the aquatic environment - chronic: Cat. 1

Label elements and precautionary statement:

Pictogram:



BASF Safety data sheet
Date / Revised: 20.07.2015
Product: **ZAMPRO**

Version: 4.0

(30487372/SDS_CPA_PH/EN)

Date of print 21.07.2015

Signal Word:
Warning

Hazard Statement:

Harmful if swallowed. Harmful to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

Do not eat, drink or smoke when using this product. Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.
Collect spillage.

Precautionary Statements (Disposal):

Dispose of contents/container to hazardous or special waste collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

crop protection product, fungicide, suspension concentrate (SC)

Contains: Ametoctradin (Content (W/W): 27 %)

Hazardous ingredients

phenolsulfonic acid-formaldehyde-polycondensate as sodium salt

Content (W/W): < 5 %

Eye Dam./Irrit.: Cat. 2A

Aquatic Acute: Cat. 3

Aquatic Chronic: Cat. 3

Dimethomorph

Content (W/W): 20.3 %

CAS Number: 110488-70-5

Acute Tox.: Cat. 5 (oral)

Aquatic Acute: Cat. 2

Aquatic Chronic: Cat. 2

propane-1,2-diol

Content (W/W): < 20 %

CAS Number: 57-55-6

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Specific hazards:

carbon monoxide, carbon dioxide, nitrogen oxides, organochloric compounds

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

The substance/product is non-combustible. Product is not explosive. No special precautions necessary.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 36 Months

Protect from temperatures below: -5 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

| No occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	suspension	
Colour:	white	
Odour:	faintly aromatic	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
pH value:	approx. 6 - 8 (CIPAC standard water D, 1 %(m), 20 °C)	(other)
Freezing point:	approx. -6.2 °C	
Boiling point:	approx. 100 °C (1,013 hPa)	
Flash point:	No flash point - Measurement made up to the boiling point.	(Directive 92/69/EEC, A.9)
Evaporation rate:	not applicable	
Flammability (solid/gas):	not applicable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	463 °C	(Directive 92/69/EEC, A.15)

BASF Safety data sheet
Date / Revised: 20.07.2015
Product: **ZAMPRO**

Version: 4.0

(30487372/SDS_CPA_PH/EN)

Date of print 21.07.2015

Thermal decomposition:	220 °C , 20 kJ/kg	(DSC (OECD 113))
	285 °C , 340 kJ/kg	(DSC (OECD 113))
Explosion hazard:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1. Based on the chemical structure there is no indicating of explosive properties.	(Directive 92/69/EEC, A.14)
Fire promoting properties:	not fire-propagating	(Directive 2004/73/EC, A.21)
Vapour pressure:	The product has not been tested.	
Density:	approx. 1.11 g/cm ³ (approx. 20 °C)	(OECD Guideline 109)
Relative vapour density (air):	not applicable	
Solubility in water:	dispersible	
Information on: Dimethomorph		
Partitioning coefficient n-octanol/water (log Pow):	2.63 - 2.73 (20 °C)	

Viscosity, dynamic:	approx. 81 mPa.s (20 °C, 100 1/s)	(OECD 114)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See MSDS section 7 - Handling and storage.

Thermal decomposition:	220 °C, 20 kJ/kg (DSC (OECD 113))
Thermal decomposition:	285 °C, 340 kJ/kg (DSC (OECD 113))
Thermal decomposition:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 500 - < 2,000 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): > 5.1 mg/l 4 h (OECD Guideline 403)

An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)

Irritation

Assessment of irritating effects:

Not irritating to the eyes. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

Buehler test guinea pig: (OECD Guideline 406)

Mouse Local Lymph Node Assay (LLNA) mouse: (OECD Guideline 429)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

(30487372/SDS_CPA_PH/EN)

Date of print 21.07.2015

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

The product contains: 1,2-benzisothiazol-3(2H)-one
May produce an allergic reaction.

Specific target organ toxicity (single exposure):

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organotoxicity was observed after repeated administration to animals.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish:

LC50 (96 h) 23.2 mg/l, *Oncorhynchus mykiss* (OECD 203; ISO 7346; 92/69/EEC, C.1, static)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, *Daphnia magna* (OECD Guideline 202, part 1)

Aquatic plants:

EC50 (72 h) 74.2 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

Information on: Dimethomorph

Chronic toxicity to fish:

No observed effect concentration (60 d) 0.0562 mg/l, Oncorhynchus mykiss

Information on: Ametoctradin

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), 0.044 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

See user defined text.

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dimethomorph

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: Ametoctradin

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dimethomorph

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Information on: Ametoctradin

Assessment biodegradation and elimination (H₂O):

According to OECD criteria the product is not readily biodegradable but inherently biodegradable.

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

BASF Safety data sheet
Date / Revised: 20.07.2015
Product: **ZAMPRO**

Version: 4.0

(30487372/SDS_CPA_PH/EN)

Date of print 21.07.2015

Information on: Dimethomorph

Bioaccumulation potential:

No significant accumulation in organisms is expected as a result of the distribution coefficient of n-octanol/water (log Pow).

Information on: Ametoctradin

Bioaccumulation potential:

Bioconcentration factor: 197 - 202, *Lepomis macrochirus*

Accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains AMETOCTRADIN, DIMETHOMORPH)

Sea transport

IMDG

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains AMETOCTRADIN, DIMETHOMORPH)

Air transport

IATA/ICAO

Hazard class:	9
Packing group:	III

BASF Safety data sheet
Date / Revised: 20.07.2015
Product: **ZAMPRO**

Version: 4.0

(30487372/SDS_CPA_PH/EN)

Date of print 21.07.2015

ID number:	UN 3082
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains AMETOCTRADIN, DIMETHOMORPH)

15. Regulatory Information

Regulations of the European union (Labelling)

EEC Directives:

Hazard symbol(s) Xn	Harmful.
R-phrase(s) R22 R52/53	Harmful if swallowed. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-phrase(s) S2 S13 S20/21 S46	Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. If swallowed, seek medical advice immediately and show this container or label.

Hazard determining component(s) for labelling: DIMETHOMORPH, AMETOCTRADIN

Other regulations

For the user of this plant-protective product applies: 'To avoid risks to man and the environment, comply with the instructions for use.' (Directive 1999/45/EC, Article 10, No. 1.2)

Registration status:

PICCS, PH 005-425-2948	released / listed
PICCS, PH	blocked / not listed

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

BASF Safety data sheet
Date / Revised: 20.07.2015
Product: **ZAMPRO**

Version: 4.0

(30487372/SDS_CPA_PH/EN)

Date of print 21.07.2015

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.