

PRECAUTIONS: This product may cause eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing the spray mist. Do not eat, drink or smoke while working. Wear protective clothing such as long-sleeved shirts and pants when mixing and spraying. Wash with soap and water after working. May irritate nose and throat. Avoid drinking, smoking and eating while handling this product. This product is toxic to fish. Suspected of damaging the unborn child. When spraying, wear appropriate Personal Protective Equipment (PPE) including chemical resistant gloves, face mask, eye protection, boots, long-sleeved shirts and trousers. Wash body with soap and water after spraying. Keep livestock away from treated area.

BABALA: Ang produktong ito ay maaaring pagmulan ng pangangati ng mata at balat. Iwasang malagyan ang mata, balat at damit. Maaaring makasama kapag nalunok, nalanghap o nadikit sa balat. Huwag kumain, uminom o manigarilyo habang nagtatrabaho. Magsuot ng damit pangangalang tulad ng damit na mahaba ang manggas at pantalon habang ginagamit ito. Maghugas matapos magtatrabaho. Ang produktong ito ay maaaring makalason sa isda.

SIGNS AND SYMPTOMS OF POISONING: No signs and symptoms of human poisoning have been observed.

FIRST AID: General advice: Remove contaminated clothing immediately. *If inhaled*, keep patient calm, bring to fresh air. Get medical attention. *On contact with eyes*, immediately wash affected eyes for 15 minutes under running water with eyelids held open. Seek medical attention immediately. *On contact with skin*, immediately wash with soap and water. Get medical attention if irritation persists. *On ingestion*, immediately rinse mouth and drink a glass of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. If symptoms appear, call a physician or a poison control center immediately.

NOTE TO PHYSICIAN: Treat according to symptoms (decontamination, vital functions) observed.

IN CASE OF EMERGENCY, PLEASE CONTACT:

BASF Philippines, Inc.
11/F HHC Building,
1128 University Parkway,
North Bonifacio, Global City,
1634, Taguig, Metro Manila
Tel.: (02) 811 8000
Fax: (02) 838 1025
Emergency Hotline No.: (02) 831 5576

**National Poison Management and
Control Center**
PGH, Manila
Tel.: (02) 524 1078;
(02) 554 8400 loc 2311

**Eastern Visayas Regional
Medical Center**
Magsaysay Boulevard, Tacloban City, Leyte
Tel.: (053) 32 3131

Zamboanga City Medical Center
Dr. Evangelista St., Sta. Catalina,
Zamboanga City Tel.: (062) 991 2934
(062) 991 0537

BASF
We create chemistry

Opal® 7.5 EC

Composition:

Epoxiconazole:..... 75 g/L

Inert Ingredients:..... up to 1 Liter

REGISTERED WITH THE FERTILIZER AND PESTICIDE AUTHORITY
PURSUANT TO P.D. 1144

FPA REGISTRATION NUMBER: 005-369-1499

KEEP OUT OF REACH OF CHILDREN

Net Content: 500 ml



HARMFUL



OPAL® 7.5 EC is a systemic triazole fungicide containing 75 g/L Epoxiconazole. It has preventive, curative and eradication action. It is quickly absorbed and translocated acropetally to the sites of infection inducing an immediate stop of the disease infection.

DIRECTIONS FOR USE: **OPAL® 7.5 EC** should only be applied in a spray program with other fungicides used in banana to control Sigatoka. When spraying, wear appropriate Personal Protective Equipment (PPE) including chemical resistant gloves, face mask, eye protection, boots, long-sleeved shirts and trousers. Wash body with soap and water after spraying.

CROP	DISEASE	DOSE RATE (L/HA)	APPLICATION INTERVAL
Banana	Sigatoka	1.0 - 1.3	12 - 14 days
Rice	Sheath blight	50 ml / 16 L water	12 - 14 days

MIXING (for banana): Recommended mixing procedures for **OPAL® 7.5 EC** are as follows: 1) Add banana oil plus recommended rate of **OPAL® 7.5 EC**, then agitate; 2) Add 50% of total water, then agitate; 3) Add the rest of the water to complete the total volume (Note: Do not add Lutensol or any emulsifier anymore because **OPAL® 7.5 EC** already contains enough of this material). When mixing, loading and ground spraying, wear appropriate PPE's.

COMPATIBILITY: **OPAL® 7.5 EC** is compatible with banana oil (e.g. Banole) and other commonly used fungicides in banana. **PRE-HARVEST INTERVAL:** 0 day. **RE-ENTRY PERIOD:** 24 hours after spraying.

STORAGE AND DISPOSAL: Store in original container, tightly closed, away from food and feeds. Keep out of reach of children. Do not contaminate bodies of water with this product. Harmful to fish and other aquatic organisms. Do not apply directly to water. Triple rinse container. Then offer for recycling, or puncture and dispose of in a sanitary landfill.

PROHIBITION AND WARRANTY: IT IS A VIOLATION OF FPA RULES AND REGULATIONS TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABEL. No warranty of any kind, expressed or implied, is made concerning the use of this product. User assumes all risks and liabilities resulting from handling, use or application. It is important to read this label before spraying.

Restricted for Institutional Use Only by Banana Plantations

Opal® 7.5 EC is a Registered Trademark of BASF

BASF Philippines, Inc.
11/F HHC Building,
1128 University Parkway,
North Bonifacio, Global City,
1634, Taguig, Metro Manila
Tel.: (02) 811 8000
Fax: (02) 838 1025
Emergency Hotline No.: (02) 831 5576



(01)04914548469173

81111239 PH 1106