

Kumulus® DF

An Outstanding Fungicide for the Control of Powdery Mildew and Other Fungal Diseases in a Form of Dispersible Granule

Active Ingredient:

Sulphur 800 g/Kg
Inert Ingredients 200 g/Kg



NET CONTENT: **25 Kg**

KEEP OUT OF REACH OF CHILDREN

Registered with the Fertilizer and Pesticide Authority
Pursuant to P.D. 1144
FPA Registration Number: 005-083-0645

® = registered trademark of BASF

81099514 PH 1085



DIRECTIONS FOR USE:

Apply **Kumulus® 80 DF** at the rates given below:

CROPS	DISEASES	RATE (Tbsp per 16 L Water)
Beans	Downy mildew, powdery mildew	3.5-7
Citrus	Downy mildew, powdery mildew	5-6
Vegetables	Powdery mildew	5-6
Ornamentals	Downy mildew, powdery mildew	5-6
Papaya	Powdery mildew	5-6
Pepper	Downy mildew, powdery mildew	6-7
Solanaceous (e.g. potato, tomato, eggplant)	Downy mildew, powdery mildew	5-6

One Tablespoon (Tbsp) = 10 grams

COMPATIBILITY: **Kumulus® 80 DF** may be applied in tank mix with other crop protection products, growth regulators and foliar fertilizers. When using **Kumulus® 80 DF** in tank mixtures, add **Kumulus® 80 DF** first before adding the other products separately. Apply tank mixtures immediately. Do not leave overnight. Agitate frequently until spray is completed. **Kumulus® 80 DF** is not compatible with spray oils and products containing oils, dinitro-compounds and products containing tetradifon.

RE-ENTRY PERIOD: After spray deposit has dried up.

PRE-HARVEST INTERVAL: Do not spray within seven (7) days before harvest.

PROHIBITION/WARRANTY STATEMENT: IT IS A VIOLATION OF FPA RULES AND REGULATIONS TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABEL. No warranty of any kind, expressed or implied, is made concerning the use of this product. User assumes all risks and liabilities resulting from handling, use or application.

PRECAUTIONS: Observe standard safety precautions in handling pesticides. Store in original container tightly closed. Do not eat, drink or smoke while using the product. Avoid skin and eye contact and inhalation of spray mist. Wear protective clothing, waterproof gloves and masks when mixing and applying the product. Wash all contaminated clothing and protective equipment before re-use. Take a bath and change to clean clothing after work.

BABALA: Sundin ang mga kaukulang pag-iingat bago gamitin ang produktong ito. Itago sa orihinal na lalagyan. Huwag kumain, uminom o maninigarilyo habang nag-iispray. Iwasang madikit sa damit at malanghap ang "spray" ng kemikal. Gumamit ng damit pananggalang, guwantes at "dust mask" kung hahawak ng gamot. Labhan ang mga damit na ginamit sa pagbobomba bago muling gamitin. Maligo at magpalit ng damit matapos magtrabaho.

FIRST AID MEASURES:

If swallowed: Induce vomiting.

If on skin: Rinse contaminated skin with plenty of running water.

If on eyes: Flush eyes with plenty of running water.

If inhaled: Remove patient from area of exposure and bring to fresh air. In all cases, get medical attention immediately.

IN CASE OF EMERGENCY, PLEASE CONTACT:	
BASF Philippines, Inc. 11/F HHIC Building, 1128 University Parkway, North Bonifacio, Global City, 1634, Taguig, Metro Manila Tel.: (02) 811 8000; Fax: (02) 838 1025 Emergency Hotline No.: (02) 831 5576	National Poison Management and Control Center PGH, Manila Tel.: (02) 524 1078; (02) 554 8400 loc 2311
Eastern Visayas Regional Medical Center Magsaysay Boulevard, Tacloban City, Leyte Tel.: (053) 321 3131	Zamboanga City Medical Center Dr. Evangelista St., Sta. Catalina, Zamboanga City Tel.: (062) 991 2934; (062) 991 0537

SIGNS AND SYMPTOMS OF POISONING: No cases of human poisoning have been reported. However, signs and symptoms of poisoning include nausea, vomiting, headache, diarrhea, dyspnoea, cyanosis, stupor or agitation, delirium and convulsion. In case of inhalation, irritation of gastrointestinal mucosa or of mucous membranes, respiratory passages are observed.

NOTE TO PHYSICIAN: Treat symptomatically.

STORAGE AND DISPOSAL: Store in original container in a cool, dry place. Do not allow this product to become wet during storage. Keep the container closed when not in use. Keep away from fire and sparks and isolate from oxidizing materials. Do not re-use empty containers. Pesticide spray mixture that cannot be used should be buried in a safe place away from water supplies.

Registered by:

BASF Philippines, Inc.
 11/F HHIC Building,
 1128 University Parkway,
 North Bonifacio, Global City,
 1634, Taguig, Metro Manila
 Tel.: (02) 811 8000; Fax: (02) 838 1025
 Emergency Hotline No.: (02) 831 5576



Kumulus® DF

An Outstanding Fungicide for the Control of Powdery Mildew and Other Fungal Diseases in a Form of Dispersible Granule

Active Ingredient:

Sulphur 800 g/Kg

Inert Ingredients 200 g/Kg



NET CONTENT: **25 Kg**

KEEP OUT OF REACH OF CHILDREN

Registered with the Fertilizer and Pesticide Authority
Pursuant to P.D. 1144
FPA Registration Number: 005-083-0645

® = registered trademark of BASF

81099514 PH 1085



1. Lot-Nr.:
2. Produktionsdatum:
3. Koll-Nr.:
4. Verfallsdatum:
5. Lizenznr.: