

# Safety data sheet

Page: 1/12

BASF Safety data sheet  
Date / Revised: 16.09.2015  
Product: **Polyram 70 DF**

Version: 4.0

(30768118/SDS\_CPA\_PH/EN)

Date of print 05.05.2020

## 1. Substance/preparation and manufacturer/supplier identification

### Polyram 70 DF

Use: crop protection product, fungicide

Manufacturer/supplier:

BASF Philippines, Inc.  
11/F HHIC Building, 1128 University Parkway,  
North Bonifacio, Global City, Taguig, Metro Manila, PHILIPPINES  
Telephone: +63 2 811-8000  
Telefax number: +63 2 838-1025

Emergency information:

National emergency number:  
+63 2 831 5576  
International emergency number:  
Telephone: +49 180 2273-112

## 2. Hazard identification

Classification of the substance and mixture:

- | Skin sensitization: Cat. 1B
- | Specific target organ toxicity — repeated exposure (Skeletal muscle): Cat. 2
- | Hazardous to the aquatic environment - acute: Cat. 1
- | Hazardous to the aquatic environment - chronic: Cat. 1

Label elements and precautionary statement:

Pictogram:



BASF Safety data sheet  
Date / Revised: 16.09.2015  
Product: **Polyram 70 DF**

Version: 4.0

(30768118/SDS\_CPA\_PH/EN)

Date of print 05.05.2020

Signal Word:  
Warning

**Hazard Statement:**

May cause an allergic skin reaction. May cause damage to organs (Skeletal muscle) through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

**Precautionary Statements (Prevention):**

Do not breathe dust. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.

**Precautionary Statements (Response):**

IF ON SKIN (or hair): Wash with plenty of soap and water. If skin irritation or rash occurs: Call a POISON CENTER or doctor/physician. Take off contaminated clothing and wash before reuse. Collect spillage.

**Precautionary Statements (Disposal):**

Dispose of contents/container to hazardous or special waste collection point.

**Other hazards which do not result in classification:**

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

---

### 3. Composition/information on ingredients

**Chemical nature**

crop protection product, fungicide, water dispersible granules

**Hazardous ingredients**

metiram

Content (W/W): 70 %  
CAS Number: 9006-42-2

Skin Sens.: Cat. 1  
STOT RE (Skeletal muscle): Cat. 2  
Aquatic Acute: Cat. 1  
Aquatic Chronic: Cat. 1

| sodium diisobutyl naphthalene sulphonate

Content (W/W): < 5 %  
CAS Number: 27213-90-7

Acute Tox.: Cat. 4 (Inhalation - dust)  
Acute Tox.: Cat. 4 (oral)  
Skin Corr./Irrit.: Cat. 2  
Eye Dam./Irrit.: Cat. 1  
STOT SE: Cat. 3 (irr. to respiratory syst.)  
Aquatic Acute: Cat. 3  
Aquatic Chronic: Cat. 3

---

#### 4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

#### 5. Fire-Fighting Measures

Suitable extinguishing media:

dry powder, foam, water spray

Unsuitable extinguishing media for safety reasons:

carbon dioxide

Specific hazards:

carbon monoxide, hydrogen sulphide, carbon dioxide, nitrogen oxides, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

#### 6. Accidental Release Measures

Personal precautions:

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

**Environmental precautions:**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

**Methods for cleaning up or taking up:**

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

---

## 7. Handling and Storage

### Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

**Protection against fire and explosion:**

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

### Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight.

**Storage stability:**

Storage duration: 24 Months

Protect from temperatures above: 30 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

---

## 8. Exposure controls and personal protection

### Components with occupational exposure limits

| No occupational exposure limits known.

### Personal protective equipment

**Respiratory protection:**

Suitable respiratory protection for higher concentrations or long-term effect: Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

**Hand protection:**

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

**Eye protection:**

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

**Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

**General safety and hygiene measures:**

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

---

## 9. Physical and Chemical Properties

Form:	granules	
Colour:	brown	
Odour:	moderate odour, smoky	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
pH value:	approx. 5 - 7 (CIPAC standard water D, 10 g/l, 20 °C)	
Melting temperature:	approx. 156 °C The data given are those of the active ingredient.	
Boiling point:	The substance / product decomposes therefore not determined.	
Flash point:	not applicable	
Evaporation rate:	not applicable	
Flammability (solid/gas):	not highly flammable	(Regulation 440/2008/EC, A.10)
Lower explosion limit:	150 g/m <sup>3</sup>	(VDI 2263)
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Thermal decomposition:	150 °C , 20 kJ/kg	(DSC (OECD 113))
	235 °C , 20 kJ/kg	(DSC (OECD 113))

BASF Safety data sheet  
Date / Revised: 16.09.2015  
Product: **Polyram 70 DF**

Version: 4.0

(30768118/SDS\_CPA\_PH/EN)

Date of print 05.05.2020

	325 °C , > 830 kJ/kg	(DSC (OECD 113))
Self ignition:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1. not self-igniting	(Method: Regulation 440/2008/EC, A.16)
Explosion hazard:	not explosive	(Regulation 440/2008/EC, A.14)
Fire promoting properties:	not fire-propagating	(Regulation 440/2008/EC, A.17)
Vapour pressure:	The value has not be determined because of the high melting point.	
Bulk density:	approx. 603 kg/m <sup>3</sup> (20 °C)	
Relative vapour density (air):	not applicable	
Solubility in water:	dispersible	
Information on: metiram		
Partitioning coefficient n-octanol/water (log Pow):	0.33	
	(pH value: 7)	
	1.9	
	(pH value: 5)	
	-0.37	
	(pH value: 9)	
-----		
Viscosity, dynamic:	not applicable, the product is a solid	

## 10. Stability and Reactivity

Conditions to avoid:  
See MSDS section 7 - Handling and storage.

Thermal decomposition:	150 °C, 20 kJ/kg (DSC (OECD 113))
Thermal decomposition:	235 °C, 20 kJ/kg (DSC (OECD 113))
Thermal decomposition:	325 °C, > 830 kJ/kg (DSC (OECD 113))
Thermal decomposition:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Substances to avoid:  
strong bases, strong acids, strong oxidizing agents

**Hazardous reactions:**

No hazardous reactions if stored and handled as prescribed/indicated.

**Hazardous decomposition products:**

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## 11. Toxicological Information

### Acute toxicity

**Assessment of acute toxicity:**

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

**Experimental/calculated data:**

LD50 rat (oral): > 5,000 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 2.71 mg/l 4 h (OECD Guideline 403)

No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

No mortality was observed.

### Irritation

**Assessment of irritating effects:**

Not irritating to the eyes. Not irritating to the skin.

**Experimental/calculated data:**

Skin corrosion/irritation rabbit: (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)

### Respiratory/Skin sensitization

**Assessment of sensitization:**

Sensitization after skin contact possible.

**Experimental/calculated data:**

modified Buehler test guinea pig: (OECD Guideline 406)

### Germ cell mutagenicity

**Assessment of mutagenicity:**

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity:

---

(30768118/SDS\_CPA\_PH/EN)

Date of print 05.05.2020

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### **Reproductive toxicity**

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### **Developmental toxicity**

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

### **Specific target organ toxicity (single exposure):**

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

### **Repeated dose toxicity and Specific target organ toxicity (repeated exposure)**

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metiram

Assessment of repeated dose toxicity:

Damages the skeletal muscle.

### **Aspiration hazard**

No aspiration hazard expected.

### **Other relevant toxicity information**

Misuse can be harmful to health.

---

## **12. Ecological Information**

### **Ecotoxicity**

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.



BASF Safety data sheet  
Date / Revised: 16.09.2015  
Product: **Polyram 70 DF**

Version: 4.0

(30768118/SDS\_CPA\_PH/EN)

Date of print 05.05.2020

Toxicity to fish:

LC50 (96 h) 0.473 mg/l, *Oncorhynchus mykiss* (OPP 72-1 (EPA-Guideline), Flow through.)

Aquatic invertebrates:

EC50 (48 h) 0.821 mg/l, *Daphnia magna* (Directive 79/831/EEC, semistatic)

Aquatic plants:

EC50 (72 h) 0.157 mg/l (growth rate), algae (OECD Guideline 201, static)

No observed effect concentration (72 h) 0.002 mg/l (growth rate), algae (OECD Guideline 201)

Chronic toxicity to fish:

No observed effect concentration (28 d) 0.0236 mg/l, *Oncorhynchus mykiss*

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), 0.00437 mg/l, *Daphnia magna*

## Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metiram

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

## Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metiram

Assessment biodegradation and elimination (H<sub>2</sub>O):

According to OECD criteria the product is not readily biodegradable but inherently biodegradable.

## Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metiram

Bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

## Additional information

BASF Safety data sheet  
Date / Revised: 16.09.2015  
Product: **Polyram 70 DF**

Version: 4.0

(30768118/SDS\_CPA\_PH/EN)

Date of print 05.05.2020

Other ecotoxicological advice:  
Do not discharge product into the environment without control.

---

### 13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:  
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

---

### 14. Transport Information

#### Domestic transport:

Hazard class: 9  
Packing group: III  
ID number: UN 3077  
Hazard label: 9, EHS  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(contains METIRAM)

#### Sea transport

##### IMDG

Hazard class: 9  
Packing group: III  
ID number: UN 3077  
Hazard label: 9, EHS  
Marine pollutant: YES  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(contains METIRAM)

#### Air transport

##### IATA/ICAO

Hazard class: 9  
Packing group: III  
ID number: UN 3077  
Hazard label: 9, EHS  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(contains METIRAM)

---

### 15. Regulatory Information

#### Regulations of the European union (Labelling)

BASF Safety data sheet  
Date / Revised: 16.09.2015  
Product: **Polyram 70 DF**

Version: 4.0

(30768118/SDS\_CPA\_PH/EN)

Date of print 05.05.2020

EEC Directives:

## Hazard symbol(s)

Xi Irritant.  
N Dangerous for the environment.

## R-phrase(s)

R43 May cause sensitization by skin contact.  
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## S-phrase(s)

S2 Keep out of the reach of children.  
S13 Keep away from food, drink and animal feeding stuffs.  
S20/21 When using do not eat, drink or smoke.  
S24 Avoid contact with skin.  
S29/35 Do not empty into drains, this material and its container must be disposed of in a safe way.  
S37 Wear suitable gloves.  
S46 If swallowed, seek medical advice immediately and show this container or label.  
S57 Use appropriate container to avoid environmental contamination.

Hazard determining component(s) for labelling: METIRAM

Other regulations

To avoid risks to man and the environment, comply with the instructions for use.

**Registration status:**

PICCS, PH blocked / not listed

PICCS, PH blocked / not listed

**16. Other Information**

Organization that prepared the MSDS: RCQM  
Person who prepared the MSDS: Derrick Clarin  
Address/ Tel: BASF Philippines, Inc., 103 Progress Ave., Carmelray Industrial Park I, Calamba, Laguna, Philippines. +6328894321  
Date the MSDS was prepared: See top of the page

Vertical lines in the left hand margin indicate an amendment from the previous version.

---

BASF Safety data sheet  
Date / Revised: 16.09.2015  
Product: **Polyram 70 DF**

Version: 4.0

---

(30768118/SDS\_CPA\_PH/EN)

Date of print 05.05.2020

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.